

**Series 4, free-standing dishwasher,
60 cm, Inox Easy Clean
SMS46KI03E**



SMZ2014	Rack insert for stemware dishwasher
SMZ5000	Dishwashing aid set
SMZ5100	Vario-cutlery basket
SMZ5300	GlassSecure Tray
SGZ1010	inlet and outlet hose extention
SMZ1051EU	Mains cable with EU-Plug 5m

Energy Efficiency Class (Regulation (EU) 2017/1369): E
Energy Consumption for 100 cycles Eco Programme (EU 2017/1369):94 kWh
The water consumption of the eco programme in liters per cycle (EU 2017/1369):9.5 l
Programme duration (EU 2017/1369): 3:30 h
Airborne acoustical noise emissions (EU 2017/1369):46 dB(A) re 1 pW
Airborne acoustical noise emission class (EU 2017/1369): C
Cleaning performance:A
Water consumption:9.5 l
Total annual energy consumption 220 days: 202 kWh
Total annual water consumption 220 days: 2090 l
Built-in / Free-standing: Freestanding
Removable top: Yes
Door panel options: Not possible
Height of removable worktop: 30 mm
Height of the appliance: 845 mm
Adjustable feet: Yes - all
Maximum adjustability feet: 20 mm
Adjustable plinth: No
Net weight:52.5 kg
Gross weight: 54.1 kg
Connection rating: 2400 W
Fuse protection:10 A
Voltage: 220-240 V
Frequency: 60; 50 Hz
Length electrical supply cord: 175.0 cm
Plug type: Gardy plug w/ earthing
Length inlet hose: 165 cm
Length outlet hose: 190 cm
Hidden heating element: Yes
Water protection system description: Triple water protection 24h
Child safety devices: Button suspension
Water softener:Yes
Top basket type: mid
Adjustable upper basket:Rackmatic 3-stage
Bottom basket type:mid
3rd Rack:3rd Rack 1.1
Optional accessories: SMZ2014, SMZ5000, SMZ5100, SMZ5300, SGZ1010, SMZ1051EU
Included accessories 2:no
Color / Material panel: Stainless steel colour, lacqu.
Color / Material body: Inox Easy Clean
Color / Material top:Stainless steel colour, lacqu.
Dimensions of the product (HxWxD):845 x 600 x 600 mm
Dimensions of the packed product (HxWxD): 880 x 670 x 665 mm



Series 4, free-standing dishwasher, 60 cm, Inox Easy Clean SMS46KI03E

Product features

Programmes

- 6 programmes: Intensiv 70 °C, Auto 45-65 °C, Eco 50 °C, Glas 40 °C, 1h 65 °C, Vorspülen
- 3 special options: VarioSpeedPlus, Intensive Zone, Extra Dry
- Machine Care
- speedMatic hydraulic system
- DosageAssist
- EcoSilence Drive
- AquaSensor, Load sensor
- Automatic detergent detection
- Heat exchanger.
- Regeneration electronics
- vario baskets
- Inner Tub: Inner tub: Stainless steel/Polinox
- Programme remaining time indicator
- aquaStop with guarantee
- Time delay: 1 - 24 hr
- LED salt refill indicator
- LED rinse aid refill indicator
- rackMatic
- Cutlery drawer 1.1
- dosageAssist
- Adjustable upper rack: Rackmatic 3-stage
- 2 foldable plate racks & 2 cup shelves in top basket
- 4x flip tines divided
- vario basket system
- Child safety - Tamperproof controls
- Door latch

Specifications

- Glass care system
- Dimensions (HxWxD): 84.5 x 60 x 60 cm

**Series 4, free-standing dishwasher,
60 cm, Inox Easy Clean
SMS46KI03E**

measurements in mm

