

**Series 6, washing machine, front loader, 8 kg, 1200 rpm  
WAJ2426PIN**



WX975600 Floor securing component  
WZ10130 Extension for cold water inlet /Aquastop

**Minimize tangles by up to 50%.**

- **Anti-Tangle** feature minimizes tangles in laundry by up to 50% making it gentler on fabric and easier to iron.
- **99.99% bacterial reduction**
- **Eco Silence Drive™**: the efficient and highly durable washing machine drive.
- **Vario Drum**: gently and efficiently wash with even water distribution and without creasing garments.
- **Anti Vibration™ Design**: extremely stable and especially quiet thanks to special vibration protection.
- **EcoSilence Drive™** friction-free motor minimises heat and wear for long-lasting performance, quiet operation and perfect wash results.

Built-in / Free-standing: ..... Freestanding  
Door hinge: ..... left  
Color / Material body: ..... Silver  
Length electrical supply cord: ..... 160.0 cm  
Height of the appliance: ..... 848 mm  
Dimensions of the product: ..... 848 x 598 x 590 mm  
Wheels: ..... No  
Net weight: ..... 72.1 kg  
Drum volume: ..... 58 l  
Color Buttons: ..... white  
Noise level washing: ..... 53 dB(A) re 1 pW  
Connection rating: ..... 2300 W  
Fuse protection: ..... 10 A  
Voltage: ..... 220-240 V  
Frequency: ..... 50 Hz  
Energy Star Qualified: ..... No  
Cord Included: ..... Yes  
Plug type: ..... India plug (16 Ampere)  
Length of supply hose (in): ..... 59.05 "  
Dimensions of the packed product: ..... 34.44 x 25.78 x 27.95  
Net weight: ..... 159.000 lbs  
Gross weight: ..... 169.000 lbs  
Length of drain hose: ..... 150.00 cm  
Length of supply hose: ..... 150.00 cm  
Dimensions of the packed product (HxWxD): ..... 875 x 655 x 710 mm  
Gross weight: ..... 76.5 kg  
Connection rating: ..... 2300 W  
Fuse protection: ..... 10 A  
Voltage: ..... 220-240 V  
Frequency: ..... 50 Hz  
Water protection system: ..... Multiple water protection  
Max. spin speed: ..... 1200 rpm  
Spin speed options: ..... Variable  
Digital countdown indicator: ..... Yes  
Drying progress indicator: ..... LED-display, LED  
Maximum capacity in kg (EU 2017/1369): ..... 8.0 kg



4 242005 286256

## **Series 6, washing machine, front loader, 8 kg, 1200 rpm WAJ2426PIN**

### **Minimize tangles by up to 50%.**

---

#### **Technical Information**

- Capacity: 8kg
- Maximum spin speed: 1200 rpm
- Dimensions (HxWxD): 84.8cm x 59.8cm x 59.0cm (63.6cm with door frame)
- 32cm porthole, 165° swing door

#### **Programmes**

- Cottons, Cottons 60° Label, Synthetics, Mix Load, Delicates/Silk, Wool, Drum Descale, Rinse, Spin/Drain, Sportswear, Jeans/Dark, Anti-Bacteria, Kidswear, Freshen-Up, Quick 15/30min

#### **Features**

- Anti-Tangle feature minimizes tangles in laundry by up to 50% making it gentler on fabric and easier to iron
- Anti-Bacteria programme removes 99.9% of bacteria
- ActiveWater™: Pressure sensor that detects half-loads and cuts water intake in half.
- VarioDrum's breakthrough wave-droplet design provides a thorough yet gentle clean for fine textiles
- Anti-Vibration Side Panels reduce vibrations and ensure greater stability during the washing and spinning process.
- Time delay to select end of time of your wash (1-24 hours) and time remaining indicator
- Reload function to pause machine operation for adding in last minute laundry items
- Foam detection system to remove excessive foam


#### **Safety**

- Voltmonitor - monitors, regulates and feedback voltage fluctuations to manage unstable electrical supply to protect the washing machine and ensure a smooth wash cycle
- Multiple water protection with magnetic valve to minimise risk of leakage
- Child-proof lock

#### **Display Screen & Alerts**

- Large LED display screen to indicate: Programme status, Temperature and Spin Speed Selection, Remaining Time and 24 Hour End Time Delay.
- TouchControl buttons: Start/Reload, Soak, Anti Tangle, Delay Start, Spin Speed and Temperature Selection.
- Buzzer at the end of the wash programme

**Series 6, washing machine, front  
loader, 8 kg, 1200 rpm  
WAJ2426PIN**



Measurements in mm

