

Series 6, washing machine, front loader, 8 kg, 1200 rpm WAT24464IN











WX975600 Floor securing component

WZ10130 Extension for cold water inlet /Aquastop

Wash, Rinse, Spin within 60mins for perfect results

- Eco Silence Drive™: the efficient and highly durable washing machine drive.
- VarioPerfect™: takes up to 65% less time or uses up to 50% less energy by simply selecting SpeedPerfect or EcoPerfect functions.
- Vario Drum: gently and efficiently wash with even water distribution and without creasing garments.
- Anti-Vibration Side Panels reduce vibrations and ensure greater stability during the washing and spinning process.
- Reload function: forgot an item? Add it easily to the wash.

Built-in / Free-standing: Freestanding
Door hinge:left
Color / Material body:
Length electrical supply cord:160.0 cm
Height of the appliance:848 mm
Dimensions of the product:848 x 598 x 590 mm
Wheels:
Net weight:71.5 kg
Drum volume:
Door Frame: Silver-black grey
Color Buttons:chrome
Color Dial:chrome
Noise level washing:
Connection rating:
Fuse protection:10 A
Voltage:
Frequency:
Energy Star Qualified:No
Cord Included:Yes
Plug type: India plug (16 Ampere)
Length of supply hose (in):
Length of supply hose (in): .59.05 " Dimensions of the packed product: .34.44 x 25.78 x 27.95 Net weight: .158.000 lbs Gross weight: .169.000 lbs Length of drain hose: .150.00 cm Length of supply hose: .150.00 cm
Length of supply hose (in): .59.05 " Dimensions of the packed product: .34.44 x 25.78 x 27.95 Net weight: .158.000 lbs Gross weight: .169.000 lbs Length of drain hose: .150.00 cm Length of supply hose: .150.00 cm Dimensions of the packed product (HxWxD): .875 x 655 x 710 mm
Length of supply hose (in): .59.05 " Dimensions of the packed product: .34.44 x 25.78 x 27.95 Net weight: .158.000 lbs Gross weight: .169.000 lbs Length of drain hose: .150.00 cm Length of supply hose: .150.00 cm Dimensions of the packed product (HxWxD): .875 x 655 x 710 mm Gross weight: .76.5 kg
Length of supply hose (in): .59.05 " Dimensions of the packed product: .34.44 x 25.78 x 27.95 Net weight: .158.000 lbs Gross weight: .169.000 lbs Length of drain hose: .150.00 cm Length of supply hose: .150.00 cm Dimensions of the packed product (HxWxD): .875 x 655 x 710 mm Gross weight: .76.5 kg Connection rating: .2300 W
Length of supply hose (in): .59.05 " Dimensions of the packed product: .34.44 x 25.78 x 27.95 Net weight: .158.000 lbs Gross weight: .169.000 lbs Length of drain hose: .150.00 cm Length of supply hose: .150.00 cm Dimensions of the packed product (HxWxD): .875 x 655 x 710 mm Gross weight: .76.5 kg Connection rating: .2300 W Fuse protection: .10 A
Length of supply hose (in): .59.05 " Dimensions of the packed product: .34.44 x 25.78 x 27.95 Net weight: .158.000 lbs Gross weight: .169.000 lbs Length of drain hose: .150.00 cm Length of supply hose: .150.00 cm Dimensions of the packed product (HxWxD): .875 x 655 x 710 mm Gross weight: .76.5 kg Connection rating: .2300 W Fuse protection: .10 A Voltage: .220-240 V
Length of supply hose (in): .59.05 " Dimensions of the packed product: .34.44 x 25.78 x 27.95 Net weight: .158.000 lbs Gross weight: .169.000 lbs Length of drain hose: .150.00 cm Length of supply hose: .150.00 cm Dimensions of the packed product (HxWxD): .875 x 655 x 710 mm Gross weight: .76.5 kg Connection rating: .2300 W Fuse protection: .10 A Voltage: .220-240 V Frequency: .50 Hz
Length of supply hose (in): .59.05 " Dimensions of the packed product: .34.44 x 25.78 x 27.95 Net weight: .158.000 lbs Gross weight: .169.000 lbs Length of drain hose: .150.00 cm Length of supply hose: .150.00 cm Dimensions of the packed product (HxWxD): .875 x 655 x 710 mm Gross weight: .76.5 kg Connection rating: .2300 W Fuse protection: .10 A Voltage: .220-240 V Frequency: .50 Hz Water protection system: Multiple water protection
Length of supply hose (in): .59.05 " Dimensions of the packed product: .34.44 x 25.78 x 27.95 Net weight: .158.000 lbs Gross weight: .169.000 lbs Length of drain hose: .150.00 cm Length of supply hose: .150.00 cm Dimensions of the packed product (HxWxD): .875 x 655 x 710 mm Gross weight: .76.5 kg Connection rating: .2300 W Fuse protection: .10 A Voltage: .220-240 V Frequency: .50 Hz Water protection system: Multiple water protection Max. spin speed: .1200 rpm
Length of supply hose (in): .59.05 " Dimensions of the packed product: .34.44 x 25.78 x 27.95 Net weight: .158.000 lbs Gross weight: .169.000 lbs Length of drain hose: .150.00 cm Length of supply hose: .150.00 cm Dimensions of the packed product (HxWxD): .875 x 655 x 710 mm Gross weight: .76.5 kg Connection rating: .2300 W Fuse protection: .10 A Voltage: .220-240 V Frequency: .50 Hz Water protection system: Multiple water protection Max. spin speed: .1200 rpm Spin speed options: .Variable
Length of supply hose (in): .59.05 " Dimensions of the packed product: .34.44 x 25.78 x 27.95 Net weight: .158.000 lbs Gross weight: .169.000 lbs Length of drain hose: .150.00 cm Length of supply hose: .150.00 cm Dimensions of the packed product (HxWxD): .875 x 655 x 710 mm Gross weight: .76.5 kg Connection rating: .2300 W Fuse protection: .10 A Voltage: .220-240 V Frequency: .50 Hz Water protection system: Multiple water protection Max. spin speed: .1200 rpm Spin speed options: .Variable Digital countdown indicator: .Yes
Length of supply hose (in): .59.05 " Dimensions of the packed product: .34.44 x 25.78 x 27.95 Net weight: .158.000 lbs Gross weight: .169.000 lbs Length of drain hose: .150.00 cm Length of supply hose: .150.00 cm Dimensions of the packed product (HxWxD): .875 x 655 x 710 mm Gross weight: .76.5 kg Connection rating: .2300 W Fuse protection: .10 A Voltage: .220-240 V Frequency: .50 Hz Water protection system: Multiple water protection Max. spin speed: .1200 rpm Spin speed options: .Variable





Series 6, washing machine, front loader, 8 kg, 1200 rpm WAT24464IN

Wash, Rinse, Spin within 60mins for perfect results

Technical Information

- Capacity: 8 kg
- Maximum spin speed: 1200 r/min
- Dimensions (H x W x D): $84.8 \text{cm} \times 59.8 \text{cm} \times 59.0 \text{cm}$ (63.2cm with door frame)
- 32 cm porthole, 165° swing door

Programmes

 Cottons, Synthetics, Daily Wash, Delicates/Silk, Wool, Drum Clean, Spin/Drain, Rinse, Shirts, Sportswear, Kidswear, Low Tangle, Express Wash, Allergy Plus, Super15/30 min

Features

- EcoSilence Drive™ friction-free motor minimises heat and wear for long-lasting performance, quiet operation and perfect wash results.
- VarioPerfect™: high performance programmes which allow you to clean your laundry with 20% less energy or reduce cleaning time by 65%
- ActiveWater™ Plus: Pressure and water sensor that measures the washing load and adjusts water intake to 256 precise levels for more cost and water savings
- VarioDrum's breakthrough wave-droplet design provides a thorough yet gentle clean for fine textiles
- Anti-Vibration Side Panels reduce vibrations and ensure greater stability during the washing and spinning process
- Reload function to pause machine operation for adding in last minute laundry items
- Time delay to select end time of your wash (1 24 hours) and time remaining indicator
- Foam detection system to remove excessive foam $% \left(\mathbf{r}\right) =\left(\mathbf{r}\right)$

Safety

- Multiple Water Protection with magnetic valve to minimise risk of leakage
- Child-proof lock

Display Screen & Alerts

- Large LED display screen to indicate: Programme status, Temperature and Spin Speed Selection, Remaining Time and 24 Hour End Time Delay.
- Touch Control Option: Temperature and Spin Speed Selection, Remaining Time, SpeedPerfect/EcoPerfect, Water Plus, PreWash, Start/Reload
- Buzzer at the end of the wash programme



Series 6, washing machine, front loader, 8 kg, 1200 rpm WAT24464IN



