

**Series 6, washing machine, front loader, 8 kg, 1400 rpm  
WAT2846SIN**



**Minimize tangles by up to 50%**

- **Anti-Tangle** feature minimizes tangles in laundry by up to 50% making it gentler on fabric and easier to iron.
- **Eco Silence Drive™**: the efficient and highly durable washing machine drive.
- **VarioPerfect™**: takes up to 65% less time or uses up to 50% less energy – by simply selecting SpeedPerfect or EcoPerfect functions.
- **Allergy Plus**: developed for allergy sufferers and people with sensitive skin.
- **Vario Drum**: gently and efficiently wash with even water distribution and without creasing garments.

WX975600 Floor securing component  
WZ10130 Extension for cold water inlet /Aquastop

Built-in / Free-standing: ..... Freestanding  
 Door hinge: ..... left  
 Color / Material body: ..... Silver  
 Length electrical supply cord: ..... 160.0 cm  
 Height of the appliance: ..... 848 mm  
 Dimensions of the product: ..... 848 x 598 x 590 mm  
 Wheels: ..... No  
 Net weight: ..... 71.5 kg  
 Drum volume: ..... 58 l  
 Door Frame: ..... Chrome, blackgray  
 Color Buttons: ..... chrome  
 Color Dial: ..... chrome  
 Noise level washing: ..... 49 dB(A) re 1 pW  
 Connection rating: ..... 2300 W  
 Fuse protection: ..... 10 A  
 Voltage: ..... 220-240 V  
 Frequency: ..... 50 Hz  
 Energy Star Qualified: ..... No  
 Cord Included: ..... No  
 Plug type: ..... India plug (16 Ampere)  
 Length of supply hose (in): ..... 59.05 "  
 Dimensions of the packed product: ..... 34.44 x 25.78 x 27.95  
 Net weight: ..... 158.000 lbs  
 Gross weight: ..... 169.000 lbs  
 Length of drain hose: ..... 150.00 cm  
 Length of supply hose: ..... 150.00 cm  
 Dimensions of the packed product (HxWxD): ..... 875 x 710 x 655 mm  
 Gross weight: ..... 76.5 kg  
 Connection rating: ..... 2300 W  
 Fuse protection: ..... 10 A  
 Voltage: ..... 220-240 V  
 Frequency: ..... 50 Hz  
 Water protection system: ..... Multiple water protection  
 Max. spin speed: ..... 1400 rpm  
 Spin speed options: ..... Variable  
 Digital countdown indicator: ..... Yes  
 Drying progress indicator: ..... LED-display, LED  
 Maximum capacity in kg (EU 2017/1369): ..... 8.0 kg



## **Series 6, washing machine, front loader, 8 kg, 1400 rpm WAT2846SIN**

### **Minimize tangles by up to 50%**

---

#### **Technical Information**

- rated capacity: 8 kg
- Maximum Spin Speed: 1400 rpm
- Dimensions (H x W x D): 84.8cm x 59.8cm x 59.0cm (63.2cm with door frame)
- 32 cm porthole, 165° swing door

#### **Programmes**

- Cottons, Synthetics, Mix Load, Delicates/Silk, Wool, Drum Clean, Spin/Drain, Rinse, Shirts, Sportswear, Jeans/Dark Laundry, Lingerie, Freshen up, AllergyPlus, Super15/30 min

#### **Features**

- Anti-Tangle feature minimizes tangles in laundry up to 50%
- EcoSilence Drive™ friction-free motor minimises heat and wear for long-lasting performance, quiet operation and perfect wash results.
- ActiveWater™: Pressure sensor that detects half-loads and cuts water intake in half
- VarioPerfect™: high performance programmes which allow you to clean your laundry with 20% less energy or reduce cleaning time by 65%
- VarioDrum's breakthrough wave-droplet design provides a thorough yet gentle clean for fine textiles
- Reload function to pause machine operation for adding in last minute laundry items
- Time delay to select end time of your wash (1 - 24 hours) and time remaining indicator
- Anti-Vibration Side Panels reduce vibrations and ensure greater stability during the washing and spinning process


#### **Safety**

- Multiple Water Protection with magnetic valve to minimise risk of leakage
- Child-proof lock


#### **Display Screen & Alerts**

- Large LED display screen to indicate: Programme status, Temperature and Spin Speed Selection, Remaining Time and 24 Hour End Time Delay, Load Recommendation and Consumption
- Touch Control: Start/Reload, Prewash, Anti Tangle, Speed/Eco, Ready in, Spin Speed, Temperature
- Buzzer at the end of the wash programme

**Series 6, washing machine, front loader, 8 kg, 1400 rpm  
WAT2846SIN**



measurements in mm



measurements in mm