

# Series 4, free-standing fridge-freezer with freezer at bottom, 203 x 70 cm, Stainless steel (with anti-fingerprint) KGN49XIEA





# The NoFrost bottomfreezer with VitaFresh: Keeps your fresh foods fresh longer.

- Perfect Fit: place your fridge right next to walls or in a niche.
- LED lighting: keep your groceries in perfect view.
- Easy Access Shelf: pull-out glass shelf gives you better access to the contents of your fridge.
- 2 Cooling Systems: separately controllable refrigerator and freezer compartments
- Super Cooling function: cools new food placed inside faster, thus protecting already cooled food.

Energy Efficiency Class (Regulation (EU) 2017,	/1369): E
Average annual energy consumption in kilowat	t hour per year
(kWh/a) (EU) 2017/1369:	259 kWh/annum
Sum of volume of frozen compartments (EU 20	
Sum of volume of chill- and unfrozen compartr	
•	, , ,
Airborne acoustical noise emissions (EU 2017	/1369): .40 dB(A) re 1
pW	
Airborne acoustical noise emission class (EU 2	017/1369): C
Built-in / Free-standing:	Free-standing
Number of compressors:	1
Number of independent cooling systems:	2
Width of the appliance:	
Height:	
Depth of the product:	
·	
Net weight:	_
Door panel options:	
Door hinge:	-
Number of Adjustable Shelves in fridge compa	
Shelves for Bottles:	Yes
Frost free system:	Freezer
Interior ventilator:	No
Reversible Door Hinge:	Yes
Length electrical supply cord:	240.0 cm
Noise level:	40 dB(A) re 1 pW
Multi-Flow Air Tower:	Yes
Fast cooling switch:	
Fast freezing switch:	
Temperature Controlled Drawer:	
Humidity Control Drawer:	
Number of Door Bins - Refrigerator:	
Door bin adjustability - Refrigerator:	
Tilt-out door bins in fridge:	
Gallon wide door bins:	
Number of Gallon storage:	
Motorized Shelf:	
Material ofthe shelves:	, ,
Door opened indicator freezer:	No
Automatic motor-driven ice-maker:	No
Fuse protection:	10 A
Voltage:	
Frequency:	
Storage Period in Event of Power Failure (h): .	
Door panel options:	
Noise level:	
Energy Star Qualified:	
•	
Plug type:	
Required cutout/niche size for installation (in)	
Dimensions of the packed product:	
Net weight:	
Gross weight:	200.000 lbs





# Series 4, free-standing fridge-freezer with freezer at bottom, 203 x 70 cm, Stainless steel (with anti-fingerprint) KGN49XIEA

#### General Information

# The NoFrost bottomfreezer with VitaFresh: Keeps your fresh foods fresh longer.

#### Performance and consumption

## **Design and Styling**

- Doors inox EasyClean, side panels Pearl grey (VZF 07127)
- Integrated vertical handle
- LED with Soft Start in fridge section

# Convenience & Safety

- NoFrost never again defrosting!
- Separate, electronic temperature control, LED indicators
- Two Cooling Systems
- Super Cooling: automatic deactivation
- Optical and acoustic door open warning system
- Visual / acoustic

## **Fridge Compartment**

- Multi Airflow-System
- 5 safety glass shelves (4 height adjustable), of which 4 x EasyAccess Shelf, extendable
- Bottle grid
- 1 door shelf large, 3 door shelf small

# Freshness System

- 1 VitaFresh drawer with humidity control Fruits and vegetables retain vitamins and stay fresh for longer.
- , 2 VitaFresh 0  $^{\circ}$  C  $\,$  drawers with temperature control Fish and meat stay fresh for longer

## **Freezer Section**

- 3 transparent freezer drawers

# Dimensions

- Dimensions ( H x W x D): 203.0 cm x 70.0 cm x 67.0 cm

# **Technical Information**

- Door right hinged, reversible
- Height adjustable front feet
- Nominal voltage: 220 240 V

## Accessories

- egg tray
- ice cube tray

# **Country Specific Options**

- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.
- To achieve the declared energy consumption, the attached distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.

# **Environment and Safety**

## Installation



# Series 4, free-standing fridge-freezer with freezer at bottom, 203 x 70 cm, Stainless steel (with anti-fingerprint) KGN49XIEA

