

**Series 4, free-standing fridge, 161 x
60 cm, White
KSV29VWEP**



The refrigerator with A++ rating and VitaFresh Box: cools very efficiently - thanks to the cooling compartment, your fruits and vegetables stay fresh longer.

- **LED lighting:** keep your groceries in perfect view.
- **Easy Access Shelf:** pull-out glass shelf gives you better access to the contents of your fridge.
- **Super Cooling function:** cools new food placed inside faster, thus protecting already cooled food.
- **Intelligent Inverter Technology ensures a stable temperature control and efficient performance.**
- **VarioInverter works by adjusting to the changes in temperatures inside and outside the refrigerator and the load within and provides optimal performance* during voltage fluctuations.**



KSZ10010 Snackbox
 KSZ10030 Bottle Rack
 KSZ39AW00 Connection set white

Gross weight: 135.000 lbs
 Energy Efficiency Class (Regulation (EU) 2017/1369): E
 Average annual energy consumption in kilowatt hour per year
 (kWh/a): 109 kWh/annum
 Sum of volume of frozen compartments: 0 l
 Sum of volume of chill compartments: 290 l
 Airborne acoustical noise emissions :39 dB(A) re 1 pW
 Airborne acoustical noise emission class:C
 Built-in / Free-standing:Free-standing
 Number of compressors: 1
 Number of independent cooling systems: 1
 Width of the appliance: 600 mm
 Height: 1610 mm
 Depth of the product: 650 mm
 Net weight: 54.8 kg
 Door panel options: Not possible
 Door hinge: Left reversible
 Number of Adjustable Shelves in fridge compartment: 4
 Shelves for Bottles: Yes
 Frost free system:No
 Interior ventilator: Yes
 Reversible Door Hinge: Yes
 Length electrical supply cord: 230.0 cm
 Noise level:39 dB(A) re 1 pW
 Multi-Flow Air Tower: No
 Economy setting: No
 Cold technology: 1 compressor/1 cold circuit
 Fast cooling switch:Yes
 Temperature Controlled Drawer:No
 Humidity Control Drawer:Yes
 Number of Door Bins - Refrigerator:3
 Door bin adjustability - Refrigerator: Yes
 Tilt-out door bins in fridge:No
 Gallon wide door bins: Yes
 Number of Gallon storage: 1
 Motorized Shelf: No
 Material of the shelves: Glas, plastic, support grid, wood
 Door opened indicator freezer:No
 Fuse protection:10 A
 Voltage: 220-240 V
 Frequency: 50 Hz
 Door panel options: Not possible
 Installation typology:Free-standing
 Noise level:39 dB(A) re 1 pW
 ENERGY STAR® certified: No
 Plug type: GARDY plug w/ earthing
 Required cutout/niche size for installation (in):x
 Dimensions of the packed product: 66.53 x 25.98 x 30.31
 Net weight: 121.000 lbs



Series 4, free-standing fridge, 161 x 60 cm, White KSV29VWEP

The refrigerator with A++ rating and VitaFresh Box: cools very efficiently - thanks to the cooling compartment, your fruits and vegetables stay fresh longer.

Performance and consumption

Design and Styling

- Doors White, side panels white
- vertical handle
- LED interior light in fridge section

Convenience & Safety

- LED electronic control
- Super Cooling: automatic deactivation

Fridge Compartment

- Automatic defrost in fridge section
- Dynamic cooling via integrated fan
- 6 safety glass shelves of which 4 are height adjustable, 5 x EasyAccess Shelf, extendable
- Bottle grid
- 4 door bins

Freshness System

- 1 VitaFresh drawer with humidity control - Fruits and vegetables retain vitamins and stay fresh for longer.

Technical Information

- Door left hinged, reversible
- Nominal voltage: 220 - 240 V

Dimensions

- Dimensions (H x W x D): 161.0 cm x 60.0 cm x 65.0 cm

Accessories

- egg tray

Environment and Safety

Country Specific Options

- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.
- To achieve the declared energy consumption, the attached distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.

Installation



General Information

Series 4, free-standing fridge, 161 x 60 cm, White KSV29VWEP

| | a | b | c | d | e | f |
|----------------------------|-----|----|----|----|----|-------|
| KSW36, GSD36 | 187 | | | | | |
| KSV36, KSF36, GSN36, GSV36 | 186 | | | | | |
| KSV33, GSN33, GSV33 | 176 | 60 | 65 | 58 | 60 | 119.5 |
| KSV29, GSN29, GSV29 | 161 | | | | | |
| GSV24 | 146 | | | | | |
| GSN51 | 161 | | | | | |
| GSN54 | 176 | 70 | 78 | 70 | 70 | 142 |
| GSN58 | 191 | | | | | |

- a Height
 b Width
 c Depth with closed door w/o handle and w/o distance part
 d Depth of cabinet w/o distance part
 e Width with open door w/o handle
 f Depth with open door w/o handle w/o distance part

measurements in cm



measurements in mm