

Series 6, free-standing fridge, 186 x 60 cm, Brushed steel anti-fingerprint KSV36BIEP



The refrigerator with A++ rating and VitaFresh plus Box: very economical consumption - keeps your fruits and vegetables vitamin-rich and fresh up to twice as long.

- **LED lighting:** keep your groceries in perfect view.
- **Easy Access Shelf:** pull-out glass shelf gives you better access to the contents of your fridge.
- **Super Cooling function:** cools new food placed inside faster, thus protecting already cooled food.

- KSZ10010 Snackbox
- KSZ10030 Bottle Rack
- KSZ39AL00 Connection set inox

Gross weight:	152.000 lbs
Energy Efficiency Class (Regulation (EU) 2017/1369):	E
Average annual energy consumption in kilowatt hour per year (kWh/a):	116 kWh/annum
Sum of volume of frozen compartments:	0 l
Sum of volume of chill compartments:	346 l
Airborne acoustical noise emissions :	39 dB(A) re 1 pW
Airborne acoustical noise emission class:	C
Built-in / Free-standing:	Free-standing
Number of compressors:	1
Number of independent cooling systems:	1
Width of the appliance:	600 mm
Height:	1860 mm
Depth of the product:	650 mm
Net weight:	67.1 kg
Door panel options:	Not possible
Door hinge:	Left reversible
Number of Adjustable Shelves in fridge compartment:	4
Shelves for Bottles:	Yes
Frost free system:	No
Interior ventilator:	Yes
Reversible Door Hinge:	Yes
Length electrical supply cord:	230.0 cm
Noise level:	39 dB(A) re 1 pW
Multi-Flow Air Tower:	No
Economy setting:	No
Cold technology:	1 compressor/1 cold circuit
Fast cooling switch:	Yes
Temperature Controlled Drawer:	No
Humidity Control Drawer:	Yes
Number of Door Bins - Refrigerator:	4
Door bin adjustability - Refrigerator:	Yes
Tilt-out door bins in fridge:	No
Gallon wide door bins:	Yes
Number of Gallon storage:	2
Motorized Shelf:	No
Material of the shelves:	Glas, plastic, support grid, wood
Door opened indicator freezer:	No
Fuse protection:	10 A
Voltage:	220-240 V
Frequency:	50 Hz
Door panel options:	Not possible
Installation typology:	Free-standing
Noise level:	39 dB(A) re 1 pW
Energy Star Qualified:	No
Plug type:	Gardy plug w/ earthing
Required cutout/niche size for installation (in):	x
Dimensions of the packed product:	74.80 x 25.59 x 29.52
Net weight:	148.000 lbs

Series 6, free-standing fridge, 186 x 60 cm, Brushed steel anti-fingerprint KSV36BIEP

General Information

The refrigerator with A++ rating and VitaFresh plus Box: very economical consumption - keeps your fruits and vegetables vitamin-rich and fresh up to twice as long.

Performance and consumption

Design and Styling

- Doors inox EasyClean, side panels Pearl grey (VZF 07127)
- vertical handle
- LED interior light

Convenience & Safety

- 7 segment electronic control
- FreshSense - constant temperature by intelligent sensor technology
- Super Cooling: automatic deactivation
- Acoustic open door warning system

Fridge Compartment

- Dynamic cooling via integrated fan
- Automatic defrost in fridge section
- 7 safety glass shelves of which 4 are height adjustable, 5 x EasyAccess Shelf, extendable
- Bottle grid
- 5 door bins, three of 1 with EasyLift and Dairy compartment

Freshness System

- 1 cont. hydrofresh
- Vegetable container on telescopic rails

Dimensions

- Dimensions (H x W x D): 186.0 cm x 60.0 cm x 65.0 cm

Technical Information

- Door left hinged, reversible
- Height adjustable front feet
- Wall-side door opening: No side clearance needed at all. Fully access to all drawers.
- Nominal voltage: 220 - 240 V

Accessories

- egg tray

Country Specific Options

- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.
- To achieve the declared energy consumption, the attached distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.

Special Accessories

Environment and Safety



Installation

Series 6, free-standing fridge, 186 x 60 cm, Brushed steel anti-fingerprint KSV36BIEP



	a	b	c	d	e	f
KSW36, GSD36	187					
KSV36, KSF36, GSN36, GSV36	186					
KSV33, GSN33, GSV33	176	60	65	58	60	119.5
KSV29, GSN29, GSV29	161					
GSV24	146					
GSN51	161					
GSN54	176	70	78	70	70	142
GSN58	191					

- a Height
- b Width
- c Depth with closed door w/o handle and w/o distance part
- d Depth of cabinet w/o distance part
- e Width with open door w/o handle
- f Depth with open door w/o handle w/o distance part

measurements in cm



measurements in mm



measurements in mm