
Series 6, Induction hob, 60 cm, Black, PVQ651FC5E






- **DirectSelect**: direct, simple selection of the desired cooking zone, power and additional functions.
- **Combi Zone**: combine two induction cooking zones to heat large cookware.
- **PerfectFry**: no more worrying about scorching.
- **U-Bevel**: Elegant, appealing design with bevelled front and sides.
- **PowerBoost**: Up to 50% more power for faster heating.

HEZ390090	Wok Set consisting of 3 Items
HEZ390210	System pan diameter 15 cm
HEZ9ES100	Espresso maker 4 cups
HEZ9FE280	Iron pan Ø 18 / 28 cm
HEZ9SE040	4 pieces Set
HEZ9SE060	6 pieces Set

Product name/family: ..... Cooking zone ceramic
Built-in / Free-standing: ..... Built-in
Energy input: .....Electric
Total number of positions that can be used at the same time: 4
Required niche size for installation (HxWxD): 51 x 560-560 x 490-500 mm
Width of the appliance: .....592 mm
Dimensions: ..... 51x592x522 mm
Dimensions of the packed product (HxWxD): ..... 126 x 753 x 608 mm
Net weight: .....12.2 kg
Gross weight: ..... 13.9 kg
Residual heat indicator: .....yes
Location of control panel: ..... Front
Basic surface material: .....Ceramic
Color of surface: .....Black
Length electrical supply cord: ..... 110.0 cm
Sealed Burners: ..... No
Power Boost: ..... All cooking zones
Power of 2nd heating element (kW): .....3.6 kW
Power of heating element (kW in boost): ..... [3.7] kW
Connection rating: ..... 7400 W
Voltage: ..... 220-240 V
Frequency: ..... 50; 60 Hz
Energy input: .....Electric
Plug type: .....No plug (electrical connection by electrician)
Appliance Dimensions (h x w x d) (in): ..... x x
Dimensions of the packed product: ..... 4.96 x 23.93 x 29.64
Net weight: .....27.000 lbs
Gross weight: ..... 31.000 lbs
Total number of positions that can be used at the same time: 4
Length electrical supply cord: ..... 110.0 cm
Required niche size for installation (HxWxD): 51 x 560-560 x 490-500 mm
Dimensions: ..... 51x592x522 mm
Dimensions of the packed product (HxWxD): ..... 126 x 753 x 608 mm
Net weight: .....12.2 kg
Gross weight: ..... 13.9 kg


4 242005 088256

Series 6, Induction hob, 60 cm,
Black,
PVQ651FC5E




① Ventilation gap must be present

All measurements in mm




Measurements in mm



A: Minimum distance from the hob cut-out to the wall.
B: Recessed depth
C: The clearance between the surface of the worktop and the top of the front of the oven must be 30 mm. See space requirements for the oven.


The worktop into which the hob is installed must withstand loads of approx. 60 kg; suitable substructures must be used if required.

D	E	F
585-600	50	≥ 35
> 600	≥ 50	≥ 50



① Ventilation gap must be present.

Measurements in mm



①
Ventilation gap must
be present

All measurements in mm