

Series 8, Built-in Fully Automatic Coffee Machine, Stainless steel, Removable water tank CTL636ES1



9 x assembly screws, 1 x scoop, 1 x test strip, 1 x milk container (insulated), 1 x connection hose for milk frother, 1 x milk pipe

TCZ7003	water filter
TCZ8001A	10 Cleaning Tablets for Coffee Machine
TCZ8002A	3 Descaling Tablets for Coffee Machine
TCZ8004A	Care set Coffee Machine
TCZ8009N	insulated milk container
Y988081012:	
Y988081300:	
Y988081302:	
Y988081303:	

The built-in coffee center with OneTouch Function: offers great variety and highest comfort.

- Ceramic grinder: Lasting enjoyment thanks to a high-quality grinder made of wear-resistant ceramic.
- Intelligent heater inside: The SensoFlow System guarantees the right temperature and best aroma.
- **OneTouch DoubleCup**: Your choice of espresso or milk drinks with a click even two cups at once.

Built-in / Free-standing:Built-i	n
Frothing nozzle:N	0
Display:	es
Water protection system:n	0
Portion sizes:All cup	s
Dimensions (HxWxD): 455x594x375 mr	m
Dimensions of the packed product (HxWxD): 550 x 480 x 670 mr	m
Required niche size for installation (HxWxD):449x558x356 mr	m
Hot water spout:N	0
Standby function:	es
Simultaneous preparation of 2 cups:Ye	es
Included accessories: 9 x assembly screws, 1 x scoop, 1 x test strip	,
1 x milk container (insulated), 1 x connection hose for milk frother,	
1 x milk pipe	
Optional accessories:TCZ7003, TCZ8001A, TCZ8002A, TCZ8004A	,
TCZ8009N, Y988081012, Y988081300, Y988081302, Y988081303	
Fuse protection:10	A
Voltage:	۷
Frequency:	lz
Plug type: Gardy plug w/ earthin	g
Product group:Built-in coffee machine	s
Product name/family:Built-in coffee machine	
Product name / Commercial code: CTL636ES	1
Typology: Fully automati	ic
Length electrical supply cord:	n
Maximum height for installation:449 mr	n
Dimensions (HxWxD): 455x594x375 mr	
Dimensions of the packed product (HxWxD): 550 x 480 x 670 mm	m
Net weight:44.000 lb	s
Net weight:	g
Gross weight:	s
Gross weight: 22.3 k	g
Capacity water container:2.4	ι





Series 8, Built-in Fully Automatic Coffee Machine, Stainless steel, Removable water tank CTL636ES1

The built-in coffee center with OneTouch Function: offers great variety and highest comfort.

Flavour

- Innovative heating system "senso flow system"
- One-touch preparation: Ristretto, Espresso, Espresso macchiato, Coffee, Cappuccino, Latte macchiato, Caffé Latte at the touch of a button
- AromaDouble Shot Extra strong coffee without compromise in aroma
- Beverage temperature adjustable individually: Coffee: 3 grades, Hot water: 4 grades
- optional Brita intenza water filter: Reduces the lime content of water and filters substances affecting smell and taste

Convenience

- TFT display with interactive menu
- MyCoffee: Save 8 favourite beverages with individual names and adjustable mixing ratio of milk and espresso
- 20-250 ml
- Coffee outlet yesheight-adjustable: Up to 15 cm (max) high Latte Macchiato glasses fit underneath
- Get two cups of any coffee or milk speciality at the touch of a button with oneTouch DoubleCup.
- Removable 2.4 litre water tank
- early warning when bean container or water tank are close to empty
- Flexible milk solution: Decide for yourself if you prefer connecting the yes milk container or using any other container, e.g. a milk carton
- Short user manual always at hand inside appliance

Performance

- SilentCeram Drive: Quiet premium grinder made from non-wearing ceramic
- CoffeeSensor Pro: The grinding unit automatically adjusts to bean variety
- One-touch coffee milk specialities with especially fine-pored milk froth thanks to an innovative milk frother
- In addition to beverages also available separately: milk foam, warm milk, hot water
- Reduced heat-up time: Fast first cup
- Water pump with 19 bar pressure
- Separate container for ground coffee, e.g. caffeine-free coffee
- 15.000 cup warranty: Consistently high appliance quality from the first cup to the 15,000th (valid for non-commercial use within 24 months)

Hygiene

- Removable brewing unit: Easy and hygienic cleaning under running water
- Automatic steam cleaning after every drink with autoMilk Clean.
- Milk frother removable and dishwasher-proof

- SinglePortion Cleaning: Complete emptying of all pipes after each brewing process
- Automatic rinsing program when switch-off, switch-on
- Drip tray and coffee grounds container removable and dishwasher-proof
- Calc'nClean: Automatic cleaning and descaling programme
- Reminds in time of water filter change, descaling, cleaningDecalcification

Miscellaneous

- Containers for water, milk and coffee beans are easily accessible but hidden behind a door, so the kitchen always looks clean
- Bean container with aroma protection lid (500 g volume)
- Illumination for keys and coffee outlet
- Grinding fineness adjustable (multi-level)
- Different display languages available
- Child-proof lock: key lock preventing unintended brewing cycle
- Wattage: 1600 W

Accessories

- with insulationmilk container with fresh lock-lid (0.5 l volume)
- Further included accessories: connection hose for milk frother, test strip, assembly screws
- Separately available accessories: cleaning tablets (TZ60001), descaling tablets (TCZ8002), BRITA Intenza water filter (TCZ7003), care set for fully-automatic espresso makers (TCZ8004), insulated milk container (TCZ8009N)



Series 8, Built-in Fully Automatic Coffee Machine, Stainless steel, Removable water tank CTL636ES1



measurements in mm



Bean and water containers are removed from the front. Recommended installation height 95-145 cm. measurements in mm





If using the 92° hinge limiter (spare part no. 00636455), the minimum distance to the wall is only 100 mm. measurements in mm



