

Series 4, Freestanding Dishwasher, 60 cm, Brushed steel anti-fingerprint SMS4HCI60E



SGZ0IC00	Small Item Clip for upper rack
SGZ1010	inlet and outlet hose extension
SMZ1051EU	Mains cable with EU-Plug 5m
SMZ2014	Rack insert for stemware dishwasher
SMZ5001	Baby care kit
SMZ5100	Vario-cutlery basket
SMZ5300	GlassSecure Tray

Easy loading of your dishes and manage your dishwasher via the Home Connect app.

- **ExtraDry:** selectable option for additional drying.
- **Flex baskets:** flexible and practical solution for easy loading.
- **Home Connect:** home appliances with smart connectivity for an easier everyday life
- **AquaStop:** the safety net against water damages. A warranty through the lifetime of the dishwasher.
- **Speed on Demand provides perfect cleaning results with reduced washing time even after the cycle starts.**

Energy label:	E
Energy consumption of the eco programme per 100 cycles: ...	95 kWh
Maximum number of place settings:	14
Water consumption:	9.5 l
Programme duration:	3:45 h
Noise level:	40 dB(A) re 1pW
Noise level class:	B
Cleaning performance:	A
Water consumption:	9.5 l
Total annual energy consumption 220 days:	231 kWh
Total annual water consumption 220 days:	2090 l
Built-in / Free-standing:	Free-standing
Removable top:	Yes
Door panel options:	Not possible
Height of removable worktop:	30 mm
Height of the appliance:	845 mm
Adjustable feet:	Yes - all
Maximum adjustability feet:	20 mm
Adjustable plinth:	No
Net weight:	54.6 kg
Gross weight:	56.5 kg
Connection rating:	2400 W
Fuse protection:	10 A
Voltage:	220-240 V
Frequency:	50; 60 Hz
Length electrical supply cord:	175.0 cm
Plug type:	Gardy plug w/ earthing
Length inlet hose:	165 cm
Length outlet hose:	190 cm
Hidden heating element:	Yes
Water protection system description:	Triple water protection 24h
Child safety devices:	Button suspension
Water softener:	Yes
Top basket type:	Practical loading with Flex basket
Adjustable upper basket:	Rackmatic 3-stage
Bottom basket type:	R2
3rd rack:	3rd Rack 1.0
Optional accessories: . SGZ0IC00, SGZ1010, SMZ1051EU, SMZ2014, SMZ5001, SMZ5100, SMZ5300	
Included accessories :	no
Number of place settings:	14
Colour / material of the panel:	Stainless steel colour, lacqu.
Color / Material body:	Brushed steel anti-fingerprint
Color / Material top:	Stainless steel colour, lacqu.
Dimensions of the product (HxWxD):	845 x 600 x 600 mm
Dimensions of the packed product (HxWxD):	880 x 660 x 670 mm



Series 4, Freestanding Dishwasher, 60 cm, Brushed steel anti-fingerprint SMS4HCI60E

Easy loading of your dishes and manage your dishwasher via the Home Connect app.

Features

- BLDC motor
- DosageAssist
- Heat exchanger.
- AquaStop with guarantee
- Noise level (silence programme): 38 dB(A) re 1 pW
- AntiFingerprint surface coating
- Wi-Fi

Specifications

- Capacity: 14 place settings
- Stainless steel tub
- Self-cleaning filter system with 3-fold corrugated filter
- Remaining programme time indicator (min)
- Childproof control lock
- Energy² / Water³: 95 kWh / 9.5 litres
- Noise level: 40 dB(A) re 1 pW
- Dimensions of the product (HxWxD): 84.5 x 60 x 60 cm

Programmes

- 6 programmes: Eco 50 °C, Auto 45-65°, Intensive 70 °C, Express 65°, Silence 50 °C, Favourite
- 4 special options: Remote Start, Extra Dry, Half Load, SpeedPerfect+
- Silence on Demand (via app)
- Pre-Rinse
- Machine Care
- AquaSensor
- Electronic delay timer: 1-24 hours

Baskets and Racks

- Rackmatic height-adjustable top basket (3 stage)
- VarioDrawer
- Low friction wheels on lower rack and 3rd loading level
- 2 foldable plate racks in top basket
- 2 foldable plate racks in bottom basket
- 2 lever (long/short)
- 2x simple (long/short) mid gre
- Rack Stopper to prevent derailing of lower basket

¹ Scale of Energy Efficiency Classes from A to G


² Energy consumption in kWh per 100 cycles (in programme Eco 50 °C)

³ Water consumption in litres per cycle (in programme Eco 50 °C)

⁴ Duration of programme Eco 50 °C

Series 4, Freestanding Dishwasher, 60 cm, Brushed steel anti-fingerprint SMS4HCI60E

measurements in mm



⌚ socket
() values with extension kit