

Series 8, Built-In Fully Automatic Coffee Machine, Stainless steel, Removable water tank **CTL636ES1**



TCZ7003 Accessories small appliances TCZ8001A Cleaning tablets TCZ8002A TCZ8004A TCZ8009N Y988081012: Y988081300: Y988081302:

The built-in coffee center with OneTouch Function: offers great variety and convenience.

- CeramDrive: High-quality grinder made from non-wearing ceramic
- Intelligent Heater inside: Perfect brewing temperature and full aroma with the SensoFlow System
- OneTouch function: Any coffee or milk speciality at the touch of a button - even two cups at the same time
- OneTouch Function: All espresso drinks at the touch of a button whether espresso or cappuccino.
- AromaDouble Shot: Extra-strong coffee thanks to two grinding and brewing processes

Built-in / Free-standing:	Built-in
Net weight:	19.8 kg
Gross weight:	22.3 kg
Dimensions:	455x594x375 mm
Dimensions of the packed product (HxWxD):	550 x 480 x 670 mm
Min. required niche size for installation (HxWxI	D):449 x 558 x 356
mm	
EAN code:	
Fuse protection:	10 A
Voltage:	
Frequency:	50/60 Hz
Length electrical supply cord:	170.0 cm



Descaling tablets Care set espresso insulated milk container



Series 8, Built-In Fully Automatic Coffee Machine, Stainless steel, Removable water tank CTL636ES1

The built-in coffee center with OneTouch Function: offers great variety and convenience.

Functions & Features

- 4.1" TFT display with interactive menu
- MyCoffee: Save 8 favourite beverages with individual names and adjustable mixing ratio of milk and espresso
- One-touch preparation: Ristretto, Espresso, Espresso macchiato, Coffee, Cappuccino, Latte macchiato, Caffé Latte at the touch of a button
- Beverage temperature individually adjustable: Coffee: 3 grades, Hot water: 4 grades
- Removable 2.4 litre water tank
- optional Brita intenza water filter: Reduces the lime content of water and filters substances affecting smell and taste
- Coffee outlet yesheight-adjustable: Up to 15 cm (max), 7 cm (min), Yes high Latte Macchiato glasses fit underneath
- Early warning when bean container or water tank are close to empty
- Flexible milk solution: Decide for yourself if you prefer connecting the yes milk container or using any other container, e.g. a milk carton

Performance

- SilentCeramDrive: High-value ceramic grinding unit
- CoffeeSensorPro: The grinding unit automatically adjusts to bean variety
- Complete emptying of all pipes after each brewing process
- Reduced heating-up time: fastest first cup!
- Water pump with 19 bar pressure
- Separate container for pre-grounded coffee
- Removable brewing unit: Easy and hygienic cleaning under running water
- Removable drip dish including container for coffee grounds
- Steam blast: Fully-automatic steam cleaning of the milk system after every beverage
- All milk nozzle parts are easily removable, separable, easy to clean & dishwasher-proof
- Automatic rinsing program when switch-off, switch-on
- Fully automatic descaling & cleaning program
- Bean container with aroma protection lid (500 g volume)
- Display language selectable
- Child-proof lock: key lock preventing unintended brewing cycle
- Wattage: 1600 W

Accessories


- Isolated milk container with aluminium housing (0.7 l volume)
- Cleaning tablet, Descaling tablet, Measuring spoon, Set assembly screws, Milk container

Convenience


- 454x594x536mm



Series 8, Built-In Fully Automatic Coffee Machine, Stainless steel, Removable water tank CTL636ES1



measurements in mm



Bean and water containers are removed from the front. Recommended installation height 95-145 cm. measurements in mm

