


Series 2, Wall-mounted canopy rangehood, 90 cm, Stainless steel DWB95BC50A



DWZ0FB5K0 Chimney extension 1000 mm
DWZ6DE1A2 Standard odor filter

Canopy rangehood: performance and matching kitchen design bundled in one rangehood.

- **Three power levels:** For flexible cooking performance.
- **LED lighting:** Energy-efficient LED lighting for bright, even cooktop illumination.
- **Durable metal filters:** Capture grease and are easy to clean for fresher air.

Color chimney: Stainless steel
Typology: Wall-mounted
Length electrical supply cord: 150 cm
Height of the chimney: 415-680/495-770 mm
Height of product, without chimney: 53 mm
Minimum distance above an electric hob: 600 mm
Minimum distance above a gas hob: 750 mm
Net weight: 13.0 kg
Type of control: mechanical
Number of speed settings: 3
Max. air extraction: 616 m³/h
Max. air recirculation: 280 m³/h
Number of lights: 2
Noise level: 70 dB(A) re 1pW
Diameter of air outlet: 120 mm
Grease filter material: Washable aluminium
EAN code: 4242005222223
Connection rating: 216 W
Voltage: 220-240 V
Frequency: 50 Hz
Plug type: AU plug
Installation type: Wall-mounted



4 242005 222223

Series 2, Wall-mounted canopy rangehood, 90 cm, Stainless steel DWB95BC50A

**Canopy rangehood: performance and
matching kitchen design bundled in one
rangehood.**

Design and Innovation

- Wall mounted rangehood
- Box design
- Appliance colour: Stainless steel
- Push button controls for power and light

Performance

- 3 power settings
- Suitable for ducted or recirculated extraction
- Accessory required for recirculated extraction: Recirculating kit
- Extraction rate exhaust air according to EN 61591 max. 616 m³/h


Convenience

- 2 x LED Lights
- Light Intensity: 276 lux
- Colour Temperature: 3000 K
- Dishwasher safe metal grease filters


Technical Information

- Dimensions exhaust air (HxWxD): 450-830 x 898 x 500 mm
- Dimensions recirculating (HxWxD): 550-830 x 898 x 500 mm
- Diameter pipe Ø 120 mm (Ø 120 mm enclosed)
- Power rating: 216 W
- Electrical cable length 1.5 m


**Series 2, Wall-mounted canopy
rangehood, 90 cm, Stainless steel
DWB95BC50A**




measurements in mm



A: from upper edge of pan support
B: Socket



measurements in mm



A: from upper edge of pan support