

**Serie | 8, Built-in oven, 60 x 60 cm,
Stainless steel
HBG6753S1A**



HEZ327000 Pizza stone, HEZ530000 Half tray, HEZ531010 Baking tray, non-stick ceramic coated, HEZ532010 Universal pan, non-stick ceramic coated, HEZ617000 Pizza pan, enamelled, HEZ625071 Grill tray, anthracite enamelled, HEZ631070 Baking tray, enamelled, HEZ632070 Multipurpose pan, enamelled, HEZ633001 Lid for professional pan, enamelled, HEZ633070 Professional pan, enamelled, HEZ634000 Baking and roasting grid (standard), HEZ635000 Barbecue-Set, HEZ636000 Glass pan, HEZ638370 3 level telescopic rails, full ext,pyro, HEZ660050 Cover Strip, HEZ664000 Baking and roasting grid (steam), HEZ915003 Glass roasting dish, 5,4 L

The built-in oven, which you get perfect baking and roasting results.

- **AutoPilot 10:** every dish is a perfect success thanks to 10 pre-set automatic programmes.
- **TFT display control:** easy-to-use thanks to the Bosch control ring with full text and symbols.
- **Pyrolytic self-cleaning:** no cleaning effort thanks to automatic self-cleaning.
- **SoftMove door with SoftOpen and SoftClose:** the oven door opens and closes especially gently and quietly.
- **4D Hotair:** even heat distribution for perfect results – on any level.

Color / Material Front:	Stainless steel
Built-in / Free-standing:	Built-in
Door opening:	Drop down
Integrated Cleaning system:	Pyrolytic+Hydrolytic
Control Panel Material:	Stainless steel
Door Material:	Glass
Dimensions:	595 x 594 x 548 mm
Dimensions of the packed product (HxWxD):	670 x 680 x 670 mm
Min. required niche size for installation (HxWxD):	585-595 x 560-568 x 550 mm
Cavity dimensions:	357 x 480 x 415 mm
Usable volume of cavity:	71 l
Number of interior lights:	1
Net weight:	40.8 kg
Gross weight:	43.2 kg
EAN code:	4242002827025
Connection rating:	3600 W
Fuse protection:	16 A
Voltage:	220-240 V
Frequency:	60; 50 Hz
Length electrical supply cord:	120.0 cm





BOSCH

**Serie | 8, Built-in oven, 60 x 60 cm,
Stainless steel
HBG6753S1A**

**The built-in oven, which you get perfect
baking and roasting results.**

Heating Functions

- Oven with 13 PC heating methods:
- 4D Hot Air
- Defrost
- Full width grill
- HotAir Eco
- Half width grill
- Top/Bottom heating
- Top/bottom heating Eco
- Pizza setting
- Low temperature / slow cooking
- Bottom heating
- Hot-air grilling
- Plate warming
- Keep warm
- Temperature range 30 °C - 300 °C
- Cavity volume: 71 l

Design

- Bosch Control Ring
- Stainless steel bar handle
- Full glass inner door

Convenience

- TFT Touch Symbol Display
- Automatic Temperature control for each function
- Actual temperature display
- Temperature control indicator
- AutoPilot Automatic programming
- Automatic rapid heat funtion
- Child lock
- Residual heat indicator
- Automatic switch off
- Start button
- Door contact safety switch
- Door lock
- Halogen lighting
- Cooling fan
- Stainless-steel fan
- Info button
- Pull out system: 2 level telescopic shelf rails, full extension, safety stop function
- Maximum window temperature 30° C

Cleaning

- Pyrolytic cleaning function
- Pyrolitic proof trayholder and baking tray


Accessories

- grill tray, suit. pyrol. clean., combination grid, universal pan


Technical Information

- Total connected load electric: 3.6 KW
- Appliance dimension (HxWxD): 595 mm x 594 mm x 548 mm
- Installation dimensions (HxWxD): 585 mm - 595 mm x 560 mm - 568 mm x 550 mm
- Length of mains cable: 120 cm
- Please reference the built-in dimensions provided in the installation drawing

**Serie | 8, Built-in oven, 60 x 60 cm,
Stainless steel
HBG6753S1A**



measurements in mm




Space for appliance
connection 320 x 115

measurements in mm

If the appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	37 mm	38 mm
Full surface Induction hob	47 mm	48 mm
Gas hob	30 mm	38 mm
Electric hob	27 mm	30 mm



Space for
appliance
connection
320 x 115