

Series 8, Built-in oven, 60 x 60 cm, Stainless steel HBG675BS1



HEZ327000 Pizza stone, HEZ530000 Half tray, HEZ531010 Baking tray, non-stick ceramic coated, HEZ532010 Universal pan, non-stick ceramic coated, HEZ617000 Pizza pan, enamelled, HEZ625071 Grill tray, anthracite, HEZ631070 Baking tray, enamelled, HEZ632070 Multipurpose pan, enamelled, HEZ633001 Lid for professional pan, enamelled, HEZ633070 Professional pan, enamelled, HEZ634000 Baking and roasting grid, HEZ635000 Barbecue-Set, HEZ636000 Glass pan, HEZ638170 1 level telescopic rail, full ext, pyro, HEZ638270 2 level telescopic rails, full ext,pyro, HEZ638370 3 level telescopic rails, full ext,pyro, HEZ660050 Cover Strip, HEZ664000 Baking and roasting grid, steam, HEZ915003 Glass roasting dish, 5,4 L, HEZG0AS00 Connecting cable 3m

AutoPilot 10: perfect dishes thanks to 10 pre-set automatic programs

- **4D Hotair:** even heat distribution for perfect results – on any level.
- **AutoPilot 10:** every dish is a perfect success thanks to 10 pre-set automatic programmes.
- **TFT Touch Display:** easy-to-use thanks to the Control Ring with clear text and symbols.
- **Pyrolytic self-cleaning:** Automatically cleans the oven, just wipe out the residue.
- **Cleaning Assistance:** less cleaning effort thanks to the new cleaning option, which should be used for light cleaning.

Color / Material Front: Stainless steel
 Built-in / Free-standing: Built-in
 Door opening: Drop down
 Integrated Cleaning system: Pyrolytic+Hydrolytic
 Control Panel Material: Stainless steel
 Door Material: Glass
 Dimensions: 595x594x548 mm
 Dimensions of the packed product (HxWxD): 670 x 670 x 680 mm
 Min. required niche size for installation (HxWxD): 585-595 x 560-568 x 550 mm
 Cavity dimensions: 357 x 480 x 415 mm
 Usable volume of cavity: 71 l
 Number of interior lights: 1
 Net weight: 37.9 kg
 Gross weight: 40.3 kg
 EAN code: 4242002808567
 Connection rating: 3600 W
 Fuse protection: 16 A
 Voltage: 220-240 V
 Frequency: 60; 50 Hz
 Length electrical supply cord: 120.0 cm



Series 8, Built-in oven, 60 x 60 cm, Stainless steel HBG675BS1

AutoPilot 10: perfect dishes thanks to 10 pre-set automatic programs

Heating Functions

- Oven with 13 PCh heating methods:
- 4D Hot Air
- Defrost Full width grill HotAir Eco Half width grill Top/Bottom heating Top/bottom heating Eco Pizza setting Low temperature / slow cooking Bottom heating Hot-air grilling Pre-Heating Keep warm
- Temperature range 30 °C - 300 °C
- Automatic rapid heat function
- AutoPilot Automatic programming, 10 Automatic programs automatic programs

Rails

- Number of shelf levels: 5
- Telescopic rails: telescopic rails available as optional accessory, Pyrolytic telescopic rail - full extension, full adjustment to any shelf level

Design

- Bosch Control Ring
- TFT Touch Symbol Display
- Cavity volume: 71 l
- Anthracite enamel cavity with 5 shelf positions
- Stainless steel bar handle
- Switch for oven illumination, Halogen lighting
- Cooling fan

Cleaning

- Pyrolytic cleaning function
- Cleaning Assistance - cleaning option for light residue
- New design full glass inner door, easy to clean with simple access to the door glass - now with QR code support on how separate the inner door for cleaning

Convenience

- Electronic clock/timer with end time programming
- SoftMove oven door with soft close, Drop down oven door with SoftOpen and SoftClose, Bottom hinged door
- Automatic Temperature control for each function
- Temperature control indicator Actual temperature display AutoPilot Automatic programming Sabbath function
- Built in cooking functions: Automatic programs: Select a program, enter the weight of your food, and the automatic program will apply the most optimal settings, no manual settings required

Accessories

- universal pan, combination grid, enamel baking tray

Safety Features

- Telescopic rails: 1 Clip-on rail, safety stop function, - full extension, full adjustment to any shelf level
- Low door temperature during pyrolytic cleaning
- Child lock
- Residual heat indicator Automatic switch off Start button Door

contact safety switch Door lock


Technical Information

- Length of mains cable: 120 cm
- Nominal voltage: 220 - 240 V
- Total connected load electric: 3.6 KW


Dimensions:

- Appliance dimension (HxWxD): 595 mm x 594 mm x 548 mm
- Installation dimensions (HxWxD): 585 mm - 595 mm x 560 mm - 568 mm x 550 mm

**Series 8, Built-in oven, 60 x 60 cm,
Stainless steel
HBG675BS1**




measurements in mm



measurements in mm

If the appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	37 mm	38 mm
Full surface Induction hob	47 mm	48 mm
Gas hob	30 mm	38 mm
Electric hob	27 mm	30 mm



measurements in mm