

**Serie | 6, Dual fuel range cooker,
Stainless steel
HSB738357A**



The electric Range Cooker with up to 8 heating modes and gas cooktop: lets you cook like a professional.

- **Triple flame wok burner:** powerful cooking at up to 14 Mj/h.
- **Continuous cast-iron pan support with rubber feet:** for maximum stability.

Technical Data

Built-in / Free-standing :	Free-standing
Dimensions of the product (mm) :	900 x 898 x 600
Length electrical supply cord (cm) :	120
Net weight (kg) :	77.519
Gross weight (kg) :	87.0
EAN code :	4242002933160
Number of cavities (2010/30/EC) :	1
Usable volume (of cavity) - NEW (2010/30/EC) :	112
Connection Rating (W) :	3200
Current (A) :	16
Voltage (V) :	220-240
Frequency (Hz) :	50; 60
Plug type :	AU plug

Included accessories

2 x enamel baking tray, 1 x rotary spit, 1 x cross support for espresso, 1 x governor 10mbar NG (AU), 2 x grill shelf, 1 x telescopic rack, 1 x WOK attachment ring

Serie | 6, Dual fuel range cooker, Stainless steel HSB738357A

The electric Range Cooker with up to 8 heating modes and gas cooktop: lets you cook like a professional.

-
- HSB738357A
 - Freestanding 90 cm Oven

OVEN

- 8 cooking functions: Top/bottom heat, Circulating air, Hot air grilling, Full width grill, Rotisserie
- Mechanical control with Electronic clock/timer

Size & Power

- Front right: Economy burner 1.1 KW
- Extra large capacity oven (112 l) with grey enamel

Comfort & Convenience

- Catalytic oven cavity (rear and side walls)
- 1 level telescopic shelf
- Shelf support rails
- Storage compartment
- Height adjustable legs

COOKTOP

- Gas Cooktop

Size & Power

- Center rear & front right: Economy burner up to 4 Mj/h
- 1 rapid, 2 standard, 2 economy, 1 wok burner
- Centre front: Rapid burner up to 12 Mj/h
- Rear left: Standard burner up to 7 Mj/h
- Rear right: Standard burner up to 7 Mj/h
- Front left: Wok burner up to 14 Mj/h


Comfort & Convenience

- One hand electronic ignition
- Enamelled cast iron pan supports on non-scratch rubber feet

Safety and Environment

- Flame failure device fitted to each individual burner
- Liquid gas nozzles (27,5mbar) included

**Serie | 6, Dual fuel range cooker, Stainless steel
HSB738357A**



measurements in mm