

Series 4, Mixed cooker, Stainless steel HXR39KI50A





The freestanding cooker with gas cooktop and 3D hotair: achieve perfect baking and roasting results on multiple levels simultaneously.

- High-quality materials and workmanship continuous cast-iron pan supports.
- Eco Clean Direct: easy cleaning thanks to a coating that breaks down grease while you bake.

Built-in / Free-standing:	Free-standing
Color / Material Front:	Stainless steel
Dimensions:	. 850-865x600x600 mm
Length electrical supply cord:	146.0 cm
Net weight:	58.7 kg
Gross weight:	
EAN code:	4242005044788
Number of cavities (2010/30/EC):	1
Usable volume (of cavity) - NEW (2010/30/EC)	: 66 l
Energy efficiency rating:	A
Energy consumption per cycle conventional (2	010/30/EC):0.98
kWh/cycle	
Energy consumption per cycle forced air conve	ection (2010/30/EC):79
kWh/cycle	
Energy efficiency index (2010/30/EC):	95.2 %
Connection rating:	3300 W
Fuse protection:	16 A
Voltage:	220-240 V
Frequency:	
Plug type:	



HEZ317000 Pizza pan, enamelled

HEZ327000 Pizza stone

HEZ333001 Lid for professional pan

HEZ333073 Professional pan, suit. pyrolytic clean.

HEZ431002 Baking tray, enamelled
HEZ438001 1 level telescopic shelf rails
HEZ438201 2 level telescopic shelf rails
HEZ438301 3 level telescopic shelf rails

HEZ625071 Grill tray, anthracite HEZ864000 Glass tray

HEZ915003 Glass roasting dish, 5,4 L



Series 4, Mixed cooker, Stainless steel HXR39KI50A

- Adjustable feet by 50 mm

The freestanding cooker with gas cooktop and 3D hotair: achieve perfect baking and roasting results on multiple levels simultaneously.

Cooktop

- Burners: 2 standard, 1 economy, 1 wok burner
- Front left: Wok burner 13.5 Mj/h
- Rear left: Standard burner 6.5 Mj/h
- Rear right: Standard burner 6.5 Mj/h
- Front right: Economy burner 4 Mj/h
- One hand electronic ignition
- Flame failure device fitted to each individual burner
- 2 PC Cast-iron trivets with rubber feet

Oven

Heating Functions

- Gas combination freestanding cooker with 7 PCheating methods:
- Hotair gentle
- 3D Hotair Top/Bottom heating Pizza setting Bottom heating Hot-air grilling Full width variable grill
- Temperature range 50 °C 275 °C

Rails

- standard extension

Design

- Grey enamelled cavity 66L capacity
- Mechanical Control, LED-display control (red)

Cleaning

- Full glass inner door

Convenience

- Eco Clean: A microfine ceramic beaded coating on the oven's interior Oxylytic cleaning system, EcoClean (Integrated in the construction of the oven) - ceiling, sides
- Electronic clock
- Rapid heating up
- Halogen lighting
- Child lock

Accessories

- enamel baking tray, universal pan, grid, grill tray, WOK attachment

Safety Features

Technical Information


- Length of mains cable: 146 cm
- Nominal voltage: 220 240 V
- Total connected load electric: 3.3 KW
- Nozzle presetting/main jet: Natural gas 10 mbar (Australian)

Dimensions

- Appliance dimension (HxWxD): 850 mm x 600 mm x 600 mm




Series 4, Mixed cooker, Stainless steel HXR39KI50A




+15 + 450 + 450

Measurements in mm

Measurements in mm





3 **/**