


## Series 8, Induction cooktop, 60 cm, Black PIE675DC1E



## The induction hob with PerfectFry: achieve perfect frying results thanks to automatic temperature control.

- **ChildLock:** locks the control panel to prevent accidental changes in settings.
- **Ceramic glass surface:** highly heat-resistant as well as easy to clean.
- **DirectSelect Premium:** Direct, simple selection of the desired cooking zone, power and additional functions.
- **PerfectFry:** For perfect browning of roasted foods thanks to the sensor control with 5 power levels.
- **Induction:** Fast, precise cooking, easy cleaning and low energy consumption.

Product name/family: ..... Cooking zone ceramic  
 Built-in / Free-standing: ..... Built-in  
 Energy type: ..... Electric  
 Total number of positions that can be used at the same time: ..... 4  
 Required niche size for installation (HxWxD): 51 x 560-560 x 490-500 mm  
 Width of the appliance: ..... 606 mm  
 Dimensions: ..... 51x606x527 mm  
 Dimensions of the packed product (HxWxD): ..... 126 x 753 x 603 mm  
 Net weight: ..... 12.4 kg  
 Gross weight: ..... 14.6 kg  
 Residual heat indicator: ..... Separate  
 Location of control panel: ..... Front  
 Basic surface material: ..... Ceramic  
 Color of surface: ..... Black, Alu, brushed  
 Length electrical supply cord: ..... 110.0 cm  
 EAN code: ..... 4242002849027  
 Voltage: ..... 220-240 V  
 Frequency: ..... 50; 60 Hz

HEZ390090	Wok Set consisting of 3 Items
HEZ390210	System pan diameter 15 cm
HEZ390220	System pan diameter 19 cm
HEZ390230	System pan diameter 21cm
HEZ394301	Connecting strip
HEZ9ES100	Espresso maker 4 cups
HEZ9FE280	Iron pan Ø 18 / 28 cm
HEZ9SE030	Set of 2 pots and 1 pan
HEZ9SE040	4 pieces Set
HEZ9SE060	6 pieces Set



## **Series 8, Induction cooktop, 60 cm, Black PIE675DC1E**

**The induction hob with PerfectFry: achieve perfect frying results thanks to automatic temperature control.**

---

### **Design**

- Stainless steel side trims with bevelled front.
- Can be combined with all hobs in comfort design

### **Comfort & Convenience**

- 4 induction cooking zones
- PowerBoost: rapid heating for large pots of water, automatically turns off right on time to prevent overheating
- Electronic display
- Timer with automatic switch off for all zones, Alarm clock, count-up timer, per cooktop
- Automatic pan recognition sensor
- PowerManagement Function
- Automatic Safety switch-off
- Childproof lock
- WipeProtection

### **Safety and Environment**

- 2 stage residual heat indicator for each zone
- Spill protection: a built-in overflow container accessed beneath the cooktop that collects any spills that enter the ventilator compartment (can be easily emptied).


### **Cooktop type and Special Features**

- PerfectFry sensor with 5 temperature settings
- 17 power levels

### **Size & Power**


- 7.4 KW total connected load
- Min. worktop thickness: 16 mm

**Series 8, Induction cooktop, 60 cm,  
Black  
PIE675DC1E**




①  
Ventilation gap must  
be present

All measurements in mm




Measurements  
in mm



**A:** Minimum distance from the hob cut-out to the wall.  
**B:** Recessed depth.  
**C:** The clearance between the surface of the worktop and the top of the front of the oven must be 30 mm. See space requirements for the oven.

The worktop into which the hob is installed must withstand loads of approx. 60 kg; suitable substructures must be used if required.

D	E	F
585-600	50	≥ 35
> 600	≥ 50	≥ 50



Measurements in mm