

**Serie | 6, Built-in compact dishwasher,
60 cm, Stainless steel
SKE53M05AU**



The ActiveWater Smart with 45 cm modular height: Gives you full installation height flexibility.

- **3.0 star energy & 3.5 star water rating:** for economical use of energy and water.
- **VarioSpeed:** rinses in half the time with optimum cleaning and drying results.
- **Glass protection technology:** extra gentle handling for your delicate glasses.

Technical Data

Water consumption (l) :	7.2
Built-in / Free-standing :	Built-in
Height of removable worktop (mm) :	0
Depth with open door 90 degree (mm) :	845
Adjustable feet :	No
Net weight (kg) :	21.946
Gross weight (kg) :	25.0
Connection Rating (W) :	2400
Current (A) :	10
Voltage (V) :	220-240
Frequency (Hz) :	50; 60
Length electrical supply cord (cm) :	175
Plug type :	AU plug
Length inlet hose (cm) :	165
Length outlet hose (cm) :	215
EAN code :	4242002624006
Number of place settings :	6
Energy consumption (kWh) :	0.37
Reference programme :	Normal
Total cycle time of reference programme (min) :	160
Noise level (dB) :	47
Installation typology :	Built-in



Serie | 6, Built-in compact dishwasher, 60 cm, Stainless steel SKE53M05AU

The ActiveWater Smart with 45 cm modular height: Gives you full installation height flexibility.

Safety

- AquaStop™ Plus: Water supply device with lifetime anti-flood protection
- Childproof control lock
- Each dishwasher requires its own fuse.

Design

- Product dimensions (HxWxD): 45.4 x 59.5 x 50 cm
- Height when worktop removed: 45.4 cm

Capacity

- 6 international place settings

Consumption rates

- 3 stars Star energy rating, 3,5 stars Star WELS water rating
- Energy consumption in programme Normal 45 °C: 0.37 kwh
- Water consumption in programme Normal 45 °C: 7.2 l / wash
- Programme time in programme Normal 45 °C: 160 min

Wash Programs and Options

- 5 Wash Programs
 - Auto 45-65 °C
 - pots and pans 70 °C
 - Normal 45 °C
 - Quick 45 °C
 - Pre-Rinse

Performance

- Effortless door closing
- AutoBrilliance™: Automatic detergent and rinse aid sensor
- 3 special options:
 - IntensiveZone wash option, VarioSpeed™ - express wash option, ExtraDry
- AquaSensor™ technology: Regulates the water usage depending on the type and degree of soiling
- LoadSensor technology: Provides for optimal water usage even for half loads or partial loads, saving water and electricity
- ActiveWater hydraulic system
- Heat Exchanger: Extremely efficient and gentle drying.
- Self-cleaning filter system

Flexibility

- 4 Foldable racks
- Time delay start: Delay programme start time by 1-24 hours to suit your schedule

Convenience

- 3 stage self-cleaning filter system
- Regenerative electronics
- Electronic rinse aid indicator
- Time remain display
- 4 stage filtration system
- Quiet operation 47 dB

