

**Serie | 8, Free-standing dishwasher, 60 cm, Stainless Steel
SMS88TI01A**



Optional accessories

SMZ5300 : GlassSecure Tray

ActiveWater Dishwasher: 15 place setting capacity, full colour TFT display, ultimate flexibility, with brilliant cleaning and drying results.

- **SuperSilence:** remarkably quiet at 42 dB.
- **Glass 40°C:** protective program for gently cleaning and drying glasses.
- **VarioDrawer™ Pro:** Provides extra loading flexibility and convenience for cutlery, cups, and large utensils.
- **Child door lock:** Prevents accidental opening of the dishwasher.
- 10 year rust-through warranty for the inner tub

Technical Data

Water consumption (l) :	12.0
Built-in / Free-standing :	Free-standing
Height of removable worktop (mm) :	30
Dimensions of the product (HxWxD) :	845 x 600 x 600
Depth with open door 90 degree (mm) :	1155
Adjustable feet :	Yes - all
Maximum adjustability feet (mm) :	20
Net weight (kg) :	51.813
Gross weight (kg) :	54.0
Connection Rating (W) :	2400
Current (A) :	10
Voltage (V) :	220-240
Frequency (Hz) :	50; 60
Length electrical supply cord (cm) :	175
Plug type :	AU plug
Length inlet hose (cm) :	165
Length outlet hose (cm) :	190
EAN code :	4242002841106
Number of place settings :	15
Energy consumption (kWh) :	0.64
Reference programme :	Eco
Total cycle time of reference programme (min) :	170
Noise level (dB) :	42
Installation typology :	Build-under



4 242002 841106

Serie | 8, Free-standing dishwasher, 60 cm, Stainless Steel SMS88TI01A

ActiveWater Dishwasher: 15 place setting capacity, full colour TFT display, ultimate flexibility, with brilliant cleaning and drying results.

Capacity

- 15 international place settings

Consumption rates

- 4 Star Energy rating
- 5 Star WELS Water rating
- 12 litres water consumption per wash and 235kWh energy consumption, based on Eco 45°C program

Design

- AntiFingerprint stainless steel finish
- Stainless steel interior tub with 10 year rust through warranty
- Effortless door closing: The door holds its position & will self-close when below a 20° angle.
- SoftTouch buttons: Electronic soft-touch activated buttons
- Hidden control buttons integrated into the top of the door

Wash Programs and Options

- 8 programs:
 - Auto 35-45 °C
 - Auto 45-65 °C
 - Auto 65-75 °C
 - Super 60 °C
 - Eco 45 °C
 - Glass 40 °C
 - Quick wash 45 °C
 - Pre-Rinse
- 5 special options:
 - HalfLoad Plus: For half loads, reduces energy, water & time.
 - ExtraDry: Provides an even better drying result.
 - VarioSpeed™: Up to 50% faster wash time.
 - IntensiveZone: Powerful cleaning in the bottom basket.
 - HygienePlus: Removes bacteria from utensils & crockery.

Performance

- ActiveWater™: Automatic load adjustment recognises the load condition in three steps and ensures that only the amount of electricity and water required for that load is used
- DosageAssist: Maximises the effectiveness of detergent tablets. The tablet is dropped into a specially engineered tray and is completely dissolved. For superior cleaning performance and a quieter wash
- EcoSilence Drive quiet and energy-efficient brushless motors (BLDC): Main Pump & Drain Pump. Variable water & spray

pressure to achieve optimum cleaning results. Fast and extra quiet draining of water, no gargling sounds

- Aqua Sensor technology: Regulates the water usage depending on the type and degree of soiling.
- Load Sensor technology: Provides for optimal water usage even for half loads or partial loads, saving water and electricity.
- AutoBrilliance: Automatic detergent and rinse aid sensor
- Heat Exchanger: Hygienic fully enclosed drying system - does not draw contaminated air (dust & allergens) from the dishwasher exterior. Reduces temperature shock, water & energy use.
- 3 stage filter system, including an innovative micro filter with a corrugated design that conveniently helps to reduce the need to wash the filter and also helps to prevent blockages.
- Alternating spray-arm washing: the upper and bottom basket are washed separately
- 5 spray levels for maximum water contact and optimum wash results

Flexibility

- VarioDrawer™ Pro: Third loading level for cutlery & utensils
- VarioFlex Pro basket system with red coloured touchpoints, easy to identify flexing & moving parts
- 6 foldable plate racks in top basket
- 8 foldable plate racks in bottom basket
- 2 foldable cup shelves in top basket
- 2 foldable cup shelves in bottom basket
- Rackmatic: the top basket can be adjusted to at various height levels to maximise convenience, and even utilised on an angle which helps prevent water pooling on the top of cups
- Glass rack in bottom basket for tall stemmed glasses

Included Accessories

- Moveable cutlery basket in bottom basket
- Large item spray head: For washing extra large items such as baking trays and rangehood filters

Convenience

- Quiet operation 42 dB
- TFT Display in full colour on front panel
- TFT Display in full colour on inner door
- Audible program end indicator tone (can be turned on/off)
- Real Time Clock: displays the actual time
- Time delay start: Delay program start time by 1-24 hours to suit your schedule
- Electronic rinse aid indicator

Safety

- AquaStop Plus: Water supply device with lifetime anti-flood protection
- Child door lock

2 year warranty

- 10 year rust-through warranty for the inner tub

Appliance dimensions (HxWxD)

- Appliance dimensions (HxWxD): 84.5 cm x 60 cm x 60 cm
- Appliance height with top removed: 815 mm