

Serie | 6, Built-under dishwasher, 60 cm, Stainless steel SMU66MS01A





Optional accessories SMZ5300 :

ActiveWater Dishwasher: 15 place setting capacity, brilliant cleaning and drying results with very low energy and water consumption.

- ExtraDry: selectable option for additional drying.
- SuperSilence: Very low operating noise at only 44 dB(A).
- VarioDrawer: Provides an extra loading level for cutlery and utensils
- AquaStop: 100% lifetime warranty for water damages guaranteed.
- Child door lock: Prevents accidental opening of the dishwasher.

Technical Data

recimical Data	
Water consumption (I) :	12.0
Built-in / Free-standing :	Built-in
Height of removable worktop (mm) :	0
Dimensions of the product (width x depth) :	815 x 598 x 573
Required niche size for installation (HxWxD) :	
815	-875 x 600 x 550
Depth with open door 90 degree (mm) :	1150
Adjustable feet :	Yes - front only
Maximum adjustability feet (mm) :	60
Net weight (kg) :	40.875
Gross weight (kg) :	43.0
Connection Rating (W) :	2400
Current (A) :	10
Voltage (V) :	220-240
Frequency (Hz) :	50; 60
Length electrical supply cord (cm) :	175
Plug type :	AU plug
Length inlet hose (cm) :	165
Length outlet hose (cm) :	190
EAN code :	4242002992723
Number of place settings :	15
Energy consumption (kWh) :	0.64
Reference programme :	Eco
Total cycle time of reference programme (min)	: 170
Noise level (dB) :	44
Installation typology :	Build-under





Serie | 6, Built-under dishwasher, 60 cm, Stainless steel SMU66MS01A

ActiveWater Dishwasher: 15 place setting capacity, brilliant cleaning and drying results with very low energy and water consumption.

Capacity

- 15 international place settings

Consumption rates

- 4 Star energy rating, 5 WELS water rating
- 12 litres water consumption per wash and 235kWh energy consumption, based on Eco 45°C program

Design

- Built-under Dishwasher 60 cm wide
- Stainless steel interior tub with 10 year rust through warranty
- Effortless door closing: The door holds its position & will selfclose when below a 20° angle.
- Push button front controls

Wash Programs and Options

- Wash programs: Auto Intensive: Pots & Pans. Baked-on food & grease 65-75 °C. Auto Wash: Automatic wash & dry. Mixed loads & soil levels 45-65 °C. - Super Wash: Powerful wash with improved drying 60 °C. Eco Wash: Energy efficient wash & dry. Mixed loads & soil levels 45 °C. Quick Wash, 60 minutes: Quick wash & dry in 60 minutes. Mixed loads & soil levels 65 °C. Quick Wash, 29 minutes (with use of rinse aid): Express wash only. Lightly soiled dishes 45 °C.
- Special wash options: Machine Care: Maintains your dishwasher's optimum performance and hygiene.
 SpeedPerfect: Up to 50% faster wash time. Half Load: For half loads, reduces use of energy, water and time. Extra Dry: Provides an even better drying result.

Performance

- ActiveWater[™]: Automatic load adjustment recognises the load condition in three steps and ensures that only the amount of electricity and water required for that load is used
- DosageAssist™: Maximises the effectiveness of detergent tablets. The tablet is dropped into a specially engineered tray and is completely dissolved. For superior cleaning performance and a quieter wash.
- EcoSilence Drive® quiet and energy-efficient brushless motor (BLDC) BLDC Main Pump: Variable water & spray pressure to achieve optimum cleaning results BLDC Drain Pump: Fast and extra quiet draining of water, no gargling sounds
- AquaSensor™ technology: Regulates the water usage depending on the type and degree of soiling LoadSensor

technology: Provides for optimal water usage even for half loads or partial loads, saving water and electricity

- AutoBrilliance™: Automatic detergent and rinse aid sensor
- Heat Exchanger: Hygienic fully enclosed drying system does not draw contaminated air (dust & allergens) from the dishwasher exterior. Reduces tempreature shock, water & energy use.
- 3 stage self-cleaning filter system
- Alternating spray-arm washing: the upper and bottom basket are washed separately
- 5 spray levels for maximum water contact and optimum wash results

Flexibility

- VarioDrawer: Provides an extra loading level for cutlery and utensils
- VarioFlex Plus basket system with red coloured touchpoints, easy to identify flexing & moving parts
- 4 foldable plate racks in top basket
- 4 foldable plate racks in bottom basket
- 2 foldable cup shelves in top basket
- 2 foldable cup shelves in bottom basket
- RackmaticPlus™: 3-stage top basket can be adjusted to three height levels to maximise convenience, and even utilised on an angle which helps prevent water pooling on the top of cups
- Moveable cutlery basket in lower basket
- 3 x Small Parts holder clips: Perfect to secure plastic lids and small accessories in place Large item spray head: For washing extra large items such as baking trays and rangehood filters Vapor barrier plate included

Convenience

- Quiet operation 44 dB
- Time remaining display
- Time delay start: Delay program start time by 1-24 hours to suit your schedule
- Electronic rinse aid indicator
- Last program used memory function

Safety

- AquaStop™ Plus: Water supply device with lifetime anti-flood protection
- Child door lock
- Childproof control lock


2 year warranty

Appliance dimensions (HxWxD)

- 815 mm x 598 mm x 573 mm



Serie | 6, Built-under dishwasher, 60 cm, Stainless steel SMU66MS01A



() Werte mit Verlängerungssatz