

**Serie | 8, Built-under dishwasher, 60 cm, Stainless steel
SMU88TS01A**



Optional accessories

SMZ5300 : GlassSecure Tray

The ActiveWater 60 with Super 60°C programme, 15 place settings and TFT display: brilliant cleaning and drying results.

- **Super 60°C programme:** brilliant cleaning and drying results.
- **4.0 star energy & 5.0 star water rating:** for very high energy efficiency and particularly low water consumption.
- **SuperSilence:** exceptionally quiet operation at only 42 dB.
- **HygienePlus option:** rinsing with higher temperatures for highest hygienic performance.
- **VarioFlex Pro basket system & VarioDrawer Pro:** visibly more flexibility & loading capacity.

Technical Data

Water consumption (l) :	12.0
Built-in / Free-standing :	Built-in
Height of removable worktop (mm) :	0
Required niche size for installation (HxWxD) :	815-875 x 600 x 550
Depth with open door 90 degree (mm) :	1150
Adjustable feet :	Yes - front only
Maximum adjustability feet (mm) :	60
Net weight (kg) :	41.412
Gross weight (kg) :	44.0
Connection Rating (W) :	2400
Current (A) :	10
Voltage (V) :	220-240
Frequency (Hz) :	50; 60
Length electrical supply cord (cm) :	175
Plug type :	AU plug
Length inlet hose (cm) :	165
Length outlet hose (cm) :	190
EAN code :	4242002844152
Number of place settings :	15
Energy consumption (kWh) :	0.64
Reference programme :	Eco
Total cycle time of reference programme (min) :	170
Installation typology :	Build-under



Serie | 8, Built-under dishwasher, 60 cm, Stainless steel SMU88TS01A

The ActiveWater 60 with Super 60°C programme, 15 place settings and TFT display: brilliant cleaning and drying results.

Capacity

- 15 international place settings

Consumption rates

- 5,0 stars Star WELS water rating, 12 litres per wash
4 stars Star energy rating, 235 kwh per year
- Water consumption in programme Economy 45 °C: 12 l
- Water consumption in programme Auto 45-65°C: from 8 l on,
depending on degree of soiling
- Energy consumption in programme Economy 45 °C: 0.64 kwh
- Energy consumption in programme Economy 45 °C: 235
kwhper year, based on 280 standard cleaning cycles using
cold water fill and the consumption of the low power modes.
Actual energy consumption will depend on how the appliance
is used.

Wash Programs

- 8 programmes: Auto 35-45 °C, Auto 45-65 °C,
Auto 65-75 °C, Super 60 °C, Economy 45 °C, Glass 40 °C,
Quick Wash 45 °C, Pre Rinse

Performance

- Advanced filter system
- DosageAssist detergent system
- AutoBrilliance - automatic detergent sensor
- Load-Sensor, AquaSensor
- HalfLoad Plus
IntensiveZone wash option
VarioSpeed™ - express wash option
- ActiveWater hydraulic system
- Heat exchanger
- 5 spray levels

Flexibility

- RackmaticPlus™ - 3 stage height-adjustable upper basket
- Folding racks in lower and upper baskets
- 8 foldable plate racks in bottom basket
- 2 cup shelves in bottom basket
- Tall glass/champagne glass racks

Convenience

- Panel legend: Plain text (english)
- TFT Display inside
- Push button top controls
- LED rinse aid and refill indicator
- Real Time Clock
- Time delay start (1-24 hours)
- Electronic delay timer: 1-24 hours
- Acoustic end of cycle indicator
- Quiet operation 42 dB
- Front-adjustable rear foot


Safety

- AquaStopPlus anti-flood protection
- Child door lock


Dimensions (HxWxD)

- Product dimensions (HxWxD): 81.5 x 59.8 x 57.3 cm


**Serie | 8, Built-under dishwasher, 60 cm,
Stainless steel
SMU88TS01A**



measurements in mm



() Werte mit Verlängerungssatz



* Can be set using height-adjustable screw feet
Base height (when appliance height is 815) - 95 mm
Base height (when appliance height is 875) - 155 mm

measurements in mm