

**Series 6, Built-in oven, 90 x 48 cm,
Stainless steel
VBC578FS0**



**The built-in oven with hotair, 90 cm width:
achieve perfect baking and roasting
results for big roasts or dishes of large
quantities**

- **Touch Control with SteelTouch™ Buttons Makes Operating the Oven Easier.**
- **Pop-out controls: for an easy to clean front.**
- **Level independent telescopic rail (clip-on rail): can be placed in any cooking level**
- **Pyrolytic self-cleaning: no cleaning effort thanks to automatic self-cleaning.**
- **Hotair: perfect results on two levels thanks to optimal distribution of heat.**

Color / Material Front: Stainless steel
 Built-in / Free-standing: Built-in
 Door opening: Drop down
 Integrated Cleaning system: Pyrolytic+Hydrolytic
 Control Panel Material: brushed stainless steel
 Door Material: Glass
 Dimensions: 475x896x577 mm
 Dimensions of the packed product (HxWxD): 588 x 968 x 680 mm
 Min. required niche size for installation (HxWxD): 468-470 x 860-864 x 560 mm
 Cavity dimensions: 282 x 724 x 417 mm
 Usable volume of cavity: 85 l
 Number of interior lights: 2
 Net weight: 61.6 kg
 Gross weight: 70.0 kg
 EAN code: 4242005034710
 Connection rating: 3300 W
 Fuse protection: 14 A
 Voltage: 220-240 V
 Frequency: 50; 60 Hz
 Length electrical supply cord: 115.0 cm



**Series 6, Built-in oven, 90 x 48 cm,
Stainless steel
VBC578FS0**

**The built-in oven with hotair, 90 cm width:
achieve perfect baking and roasting
results for big roasts or dishes of large
quantities**

Heating Functions

- 90 cm built-in oven with 10 heating methods:
- Hot Air Standard
- Top/Bottom heating
- Circulating Air
- Hot-air grilling
- Grill large area
- Pizza setting
- Bottom heating
- Defrost

Design

- Cavity volume: 85 l
- Pyrolytic cleaning function
- Cooling fan
- halogen lamps

Technical Information

- Appliance dimension (HxWxD): 475 mm x 896 mm x 572 mm
- Installation dimensions (HxWxD): 468 mm - 470 mm x 860 mm - 864 mm x 560 mm
- Length of mains cable: 115 cm

**Series 6, Built-in oven, 90 x 48 cm,
Stainless steel
VBC578FS0**

