

Series 4, vented tumble dryer, 7 kg WTA74201AU



WTZ1130 Vent hose
WTZ11311 Stacking kit

The vented dryer with SensitiveDrying system: dry your laundry no longer than necessary and save energy.

- **Display for time remaining:** you always know when your laundry will be dry.
- **AutoDry saves time and energy by automatically stopping the drying process once it's complete**
- **AntiVibration Side Panels reduce vibrations and ensure greater stability during the washing and spinning process.**
- **AntiVibration Design:** extremely stable and especially quiet thanks to special vibration protection.
- **Sensitive Drying system combines warm air currents and a gentle drum structure for dry clothes**

Built-in / Free-standing: Free-standing
Removable top: No
Door hinge: Right
Length electrical supply cord: 145.0 cm
Dimensions: 842x598x601 mm
Net weight: 33.6 kg
EAN code: 4242002938387
Connection rating: 2000 W
Fuse protection: 10 A
Voltage: 220-240 V
Frequency: 50 Hz
Loading capacity: 7.0 kg
Energy efficiency rating: C
Energy consumption electric dryer, full load - NEW (2010/30/EC) 4.10 kWh
Standard cotton programme time at full load: 130 min
Energy consumption electric dryer, partial load - NEW (2010/30/EC): 2.40 kWh
Standard cotton programme time at partial load: 80 min
Weighted annual energy consumption, electric dryer - NEW (2010/30/EC): 504.0 kWh/annum
Weighted programme time: 101 min



Series 4, vented tumble dryer, 7 kg WTA74201AU

The vented dryer with SensitiveDrying system: dry your laundry no longer than necessary and save energy.

Consumption rates

- 2 Energy Stars
- Energy consumption 315.0 kWh per year on Cottons Extra Dry
- 7 kg capacity

Programs

- Cottons and Easy Care, Wool, Mixed Load Program, towels, Timed program warm, Timed program cold, Sportswear Program, Super 40 minute program, shirts/blouses

Features

- Automatic anti-crease cycle (120 minutes)
- Touch control buttons: start/pause, Low Heat and Reduced Ironing option, less ironing, programme length, Fine-tuning of drying aim, 24 h Ready in


Convenience and Safety

- Low Heat option for delicate and synthetic fabrics
- Electronic humidity control
- Fully electronic operation. Easy-to-use program selector for standard, timed and special programs
- LED-Display for remaining time and 24 h end time delay
- Large internal galvanized drum with SoftFlow™ paddles
- AntiVibration
- Vent hose
- Child lock
- Buzzer to indicate the end of cycle
- Glass door
- pull-open latch
- Automatic drum stop when door is opened

Technical Information

- 842 mm x 598 mm x 601 mm (63cm with door frame)
- slide-under

Series 4, vented tumble dryer, 7 kg
WTA74201AU



measurements in mm

Measurements in mm

