

Series 6, Gas range cooker, Stainless steel HGW3ASQ50M



The gas Range Cooker with gas hob: enjoy the benefits of gas when cooking and baking.

- The stainless-steel gas cooktop: its high quality and premium design lets you enjoy cooking longer.
- High output burner: cooking at up to 3 kW.
- Low profile stainless steel cooking surface is easily accessible and quick to clean.

Built-in / Free-standing:Free-standing
Dimensions:
Length electrical supply cord:
Net weight:
Gross weight:
Heating modes:: defrost, rotisserie, Gas grill/broiler, Gas top/bottom
heat, Gas bottom heating, Circulated gas bottom heat
Integrated Cleaning system:Catalytic partial
Included accessories: 1 x rotary spit, 1 x nozzle set for natural gas, 1
x cross support for espresso, 1 x grid, 1 x universal pan
Broil Element Wattages cavity 1:3100 W
Power of heating element (kW):
Power of 3rd heating element (kW): 1.75 kW
Connection rating:
Fuse protection:
Voltage:
Frequency:
Plug type:GB plug
Energy input:Gas
Gas type: LPG G30 30 mbar
Gross weight:
Length electrical supply cord:
Dimensions:
Dimensions of the packed product (HxWxD): 880 x 990 x 710 mm





Series 6, Gas range cooker, Stainless steel HGW3ASQ50M

The gas Range Cooker with gas hob: enjoy the benefits of gas when cooking and baking.

Cooktop:

- Gas hob
- 1 rapid, 2 standard, 1 economy, 1 wok burner
- Front left: Rapid burner 3 KW
- Rear left: Standard burner 1.75 KW
- Center: Wok burner 4 KW
- Rear right: Standard burner 1.75 KW
- Front right: Economy burner 1 KW
- 1 Hand ignition
- Flame failure safety device
- Cast iron continuous pan supports
- Glass cover lid

Type of oven / heating system:

- Gas oven
- 6cooking functions:
- Defrost setting
- Rotisserie Gas grill Gas top/bottom heat Gas bottom heat Circulated gas bottom heat
- Rotary spit

Design:

- Extra large capacity oven (125 l)
- smooth cavity

Cleaning:

- Full glass inner door
- Catalytic cleaning: Rear wall

Comfort:

- Halogen interior lighting
- Storage compartment

Accessory:

- rotary spit, nozzle set for natural gas, cross support for espresso, grid, universal pan

Technical Information

- LPG G30 30 mbar
- Natural gas nozzles (20 mbar) included

Dimensions:

- Appliance dimension (hxwxd): 884 mm x 899 mm x 607 mm
- Adjustable feet by 45 mm



Series 6, Gas range cooker, Stainless steel HGW3ASQ50M

