

Serie | 8, Built-in steamer, 60 x 45 cm, Stainless steel CDG634BS1





Included accessories

1 x steam container, punched, size L, 1 x steam container, unpunched, size L, 1 x sponge

Optional accessories

HEZ36D163G: Steam container, punched, size S

The steamer: prepare foods especially gently, retaining the aroma and vitamins.

- Steam function: for gentle, healthy food preparation.
- **TFT display control:** easy-to-use thanks to the control ring with full text and symbols.

Technical Data

Color / Material Front : Stainless steel
Built-in / Free-standing : Built-in

Required niche size for installation (HxWxD):

450-455 x 560-568 x 550

Dimensions of the packed product (HxWxD) (mm):

520 x 650 x 710

Control Panel Material: Stainless steel Door Material: Glass 24.523 Net weight (kg): CE, VDE Approval certificates: Length electrical supply cord (cm): 150 Connection Rating (W): 1750 Current (A): 10 Voltage (V): 220-240 Frequency (Hz): 60; 50 Plug type: Gardy plug w/ earthing Approval certificates: CE, VDE





Serie | 8, Built-in steamer, 60 x 45 cm, Stainless steel CDG634BS1

The steamer: prepare foods especially gently, retaining the aroma and vitamins.

Heating Functions

- Compact steamer with 4 heating methods:
 - Defrost
 - Steam 100oC
- Fermentation
- Regeneration
- Temperature range 30 °C 100 °C
- Cavity volume: 38 l

Design

- Door hinge: Bottom, SoftClosing, Soft opening

Comfort

- Electronic clock
- - Digital temperature display with proposal
- Actual temperature display
- Heating-up indicator
- - Automatic programmes, 20
- Integral cooling fan
- Interior lighting switch for oven illumination
- Child lock, Automatic switch off, Start and Stop button, door contact switch
- Water tank capacity: with 1.3 l
- Water tank empty indicator
- Location of the steam generetor is outside of the cavity
- Recommend to use filtered water for steam functions

Standard Accessories

 1 x steam container, punched, size L, 1 x steam container, unpunched, size L, 1 x sponge

Technical Information

- Dimensions of the product (HxWxD mm) : $455 \times 594 \times 548$
- Length of mains cable: 150 cm
- Nominal voltage: 220 240 V
- Electrical connection rating: 1750 W
- "Please reference the built-in dimensions provided in the installation drawing"

Hook-in racks / rails

- Number of shelf levels: 4 PC


Cleaning:

Technical information:



Serie | 8, Built-in steamer, 60 x 45 cm, Stainless steel CDG634BS1


Installation with a hob.



measurements in mm

If the compact appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	42 mm	43 mm
Full surface Induction hob	52 mm	53 mm
Gas hob	32 mm	43 mm
Electric hob	32 mm	35 mm



measurements in mm

