

## Series 8, Built-in fully automatic coffee machine, Stainless steel CTL636ES1



9 x assembly screws, 1 x scoop, 1 x test strip, 1 x milk container (insulated), 1 x connection hose for milk frother, 1 x milk pipe

TCZ7003 Accessories small appliances  
 TCZ8001A Cleaning tablets  
 TCZ8002A Descaling tablets  
 TCZ8004A Care set espresso  
 TCZ8009N insulated milk container  
 Y988081012 :  
 Y988081300 :  
 Y988081302 :  
 Y988081303 :

- **Intelligent Heater inside:** The sensoFlow System guarantees maximum espresso indulgence every time, thanks to its ideal, constant brewing temperature
- **OneTouch DoubleCup:** Any coffee or milk speciality at the touch of a button - even two cups at the same time
- **AromaDouble Shot:** Extra-strong coffee with less bitterness thanks to two grinding and brewing processes
- **CeramDrive:** High-quality grinder made of wear-resistant ceramic
- **Intelligent Heater inside:** Perfect brewing temperature and full aroma with the SensoFlow System

Built-in / Free-standing: ..... Built-in  
 Frothing nozzle: ..... No  
 Display: ..... No  
 Water protection system: ..... no  
 Portion sizes: ..... All cups  
 Dimensions: ..... 455 x 594 x 375 mm  
 Dimensions of the packed product (HxWxD): ..... 550 x 480 x 670 mm  
 Min. required niche size for installation (HxWxD): ..... 449 x 558 x 356 mm  
 Hot water spout: ..... No  
 Standby function: ..... Yes  
 Simultaneous preparation of 2 cups: ..... Yes  
 Included accessories: 9 x assembly screws, 1 x scoop, 1 x test strip, 1 x milk container (insulated), 1 x connection hose for milk frother, 1 x milk pipe  
 Optional accessories: .... TCZ7003, TCZ8001A, TCZ8002A, TCZ8004A, TCZ8009N, Y988081012, Y988081300, Y988081302, Y988081303  
 Fuse protection: ..... 10 A  
 Voltage: ..... 220-240 V  
 Frequency: ..... 50/60 Hz  
 Plug type: ..... GARDY plug w/ earthing  
 Product group: ..... Built-in coffee machines  
 Product name/family: ..... Built-in coffee machines  
 Product name / Commercial code: ..... CTL636ES1  
 Typology: ..... Fully automatic  
 Length electrical supply cord: ..... 170.0 cm  
 Maximum height for installation: ..... 449 mm  
 Dimensions: ..... 455 x 594 x 375 mm  
 Dimensions of the packed product (HxWxD): ..... 550 x 480 x 670 mm  
 Net weight: ..... 44.000 lbs  
 Net weight: ..... 19.8 kg  
 Gross weight: ..... 49.000 lbs  
 Gross weight: ..... 22.3 kg  
 Capacity water container: ..... 2.4 l



## Series 8, Built-in fully automatic coffee machine, Stainless steel CTL636ES1

### Flavour

- Innovative heating system "senso flow system"
- One-touch function for milk drinks
- AromaDouble Shot - Extra strong coffee without compromise in aroma
- Beverage temperature adjustable individually: 3 coffee temperature levels., Hot water: 4 grades
- optional Brita Intenza water filter: Improves the coffee's taste and prolongs the appliance's life

### Convenience

- TFT display with interactive menu
- 20-250 ml
- Coffee outlet is height-adjustable: Even 15cm high Latte Macchiato glasses fit underneath
- Cappuccino: Prepare two cups simultaneously for all coffee and milk specialities
- Removable 2.4 litre water tank
- early warning when bean container or water tank are close to empty
- Flexible milk solution: Decide for yourself if you prefer connecting the yes milk container or using any other container, e.g. a milk carton
- Short user manual always at hand inside appliance

### Performance

- High-value ceramic grinding unit "silent ceram drive"
- yes: The grinding unit automatically adjusts to bean variety
- One-touch coffee milk specialities that specially creates fine-pored milk froth thanks to an innovative milk frother
- Yes Yes separately available
- Reduced heating-up time: fastest first cup!
- Water pump with 19 bar pressure
- Separate container for pre-grounded coffee
- 15.000 cup warranty: Consistently high appliance quality from the first cup to the 15,000th (valid for non-commercial use within 24 months)

### Hygiene



- Removable brewing unit: Easy and hygienic cleaning under running water
- steam blast: Fully-automatic steam cleaning of the milk system is done after every beverage
- All milk nozzle parts are easily removable, separable, easy to clean & dishwasher-proof
- yes: Complete emptying of all pipes after each brewing process
- Automatic quick rinse programme when switched on or off
- Removable drip dish including container for coffee grounds
- Fully automatic descaling & cleaning programme
- Display of remaining cups before Decalcification, Cleaning, Change of water filter
- Containers for water, milk and coffee beans are easily accessible yet hidden behind a door, so the kitchen always looks clean
- Bean container with aroma preserving lid for up to 500grams
- Adjustable grind settings (multilevel)
- Different display languages available
- child-proof lock: key lock preventing unintended brewing cycle
- Wattage: 1600 W

### Accessories


- isolated milk container with aluminium housing (0.7 l volume)

- Included accessories: scoop, test strip, connection hose for milk frother, milk container (insulated), assembly screws
- Separately available accessories: cleaning tablets (TZ60001), descaling tablets (TCZ8002), BRITA Intenza water filter (TCZ7003), care set for fully-automatic espresso makers (TCZ8004), insulated milk container (TCZ8009N)

**Series 8, Built-in fully automatic coffee machine, Stainless steel CTL636ES1**




Bean and water are removed from the machine. Recommended installation height 95-145 cm.



Bean and water are removed from the machine. Recommended installation height 95-145 cm.

left corner installation



If using the 92° handle (spare part no. 0 985 920 000) the minimum distance is only 100 mm.

