

Series 4, Telescopic cooker hood, 90 cm, Silver metallic DFS097A50B



DWZ1IX1B6 Clean Air Plus odor filter (replacement), DWZ1IX1C6 Clean Air Plus recirc. kit external, DWZ1IT1D1 Long Life recirculation kit external, DSZ4681 CleanAir active carbon filter, DSZ4683 CleanAir Recirculation Kit, DSZ4920 Installation kit for 90cm wide wall unit, DSZ4561 Standard odor filter (replacement), DSZ4565 Standard recirculation kit, DSZ4680 CleanAir Recirculation Kit, DSZ4952 Handle strip white, DSZ4956 Handle strip black, DSZ4960 Lowering frame, DWZ0IT0P0 Long Life odor filter (replacement)

The telescopic cooker hood that disappears into your upper cabinet, giving you a sleek kitchen front.

- **LED Illumination:** The energy-saving lighting provides white and good lighting for the hob area.
- **Intensive speed setting:** Removes strong kitchen odours quickly and effectively
- **Extra silent:** the high-performance hood, with minimal noise.

Typology: Pull-out
 Length electrical supply cord: 175.0 cm
 Min. required niche size for installation (HxWxD): 385mm x 524.0mm x 290mm mm
 Net weight: 12.3 kg
 Type of control:Electronic
 Number of speed settings: 3-stages + intensive setting
 Max. air extraction:408 m³/h
 Boost position output recirculating:496 m³/h
 Max. air recirculation: 358 m³/h
 Boost position air extraction: 758 m³/h
 Number of lights:2
 Noise level:54 dB(A) re 1 pW
 Diameter of air outlet: 150 / 120 mm
 Grease filter material:Washable aluminium
 Odour filter: No
 Operating Mode:Convertible
 Optional accessories:DWZ1IX1B6, DWZ1IX1C6, DWZ1IT1D1, DSZ4681, DSZ4683, DSZ4920, DSZ4561, DSZ4565, DSZ4680, DSZ4952, DSZ4956, DSZ4960, DWZ0IT0P0
 Type of lamps used: LED
 Total power of the lamps: 6 W
 Grease filter type:Kassette
 Connection rating: 146 W
 Fuse protection:10 A
 Voltage: 220-240 V
 Frequency: 60; 50 Hz
 Plug type:GB plug
 Installation typology: Built-in
 Material body: zinc plated
 Plug type:GB plug
 Dimensions of the product, with chimney (if exists) (in):x x
 Dimensions of the packed product: 15.74 x 37.40 x 18.89
 Net weight:27.000 lbs
 Gross weight: 34.000 lbs
 Motor location: Integrated motor in hood body
 No-return airflow flap: No
 Length electrical supply cord: 175.0 cm
 Dimensions of the product, with chimney (if exists):426 x 898.0 x 290.0 mm
 Dimensions of the packed product (HxWxD): 400 x 950 x 480 mm
 Net weight:12.3 kg
 Gross weight: 15.2 kg
 Delay Shut off modes:10 min



Series 4, Telescopic cooker hood, 90 cm, Silver metallic DFS097A50B

The telescopic cooker hood that disappears into your upper cabinet, giving you a sleek kitchen front.

Design

- 90 cm Telescopic Hood Hood, Silver metallic
- 90 cm wide
- Cupboard 60 or 90 cm
- Push button controls with Electronic display

Key Functions

- 3 speeds plus intensive setting
- Max. extraction rate according to EN 61591: 758 m³/h
- 2 x LED 3W


Comfort:

- Energy Efficiency Class: A
- 3 removable metal grease filter
- Removable metal grease filter, dishwasher safe
- Automatic intensive revert after 6 min.
- Automatic run on for 10 min.
- Noise level according to EN 60704-3 and EN 60704-2-13 exhaust air:
 - Max. normal use: 54 dB(A) re 1 pW (41 dB(A) re 20 µPa sound pressure)
 - Intensive: 69 dB(A) re 1 pW (56 dB(A) re 20 µPa sound pressure)

Technical information:


- Suitable for ducted or recirculating operation
- Recirc. kit or clean air kit
- Electrical connection rating: 146 W
- Diameter pipe Ø 150 mm (Ø 120 mm enclosed)
- Dimensions of the product, with chimney (if exists) (HxWxD mm): 426 x 898 x 290
- Required niche size for installation (HxWxD mm): 385 x 524 x 290

Series 4, Telescopic cooker hood, 90 cm, Silver metallic DFS097A50B




Depth of the filter drawer can be adjusted by up to 29 mm

measurements in mm




measurements in mm



When installing the 90 cm telescopic hood in a 90 cm wide wall-hanging cupboard, a mounting kit is required. The two mounting brackets are screwed onto the left and right of the kitchen unit. Installation in accordance with template.

measurements in mm



measurements in mm

