

**Series 4, Canopy cooker hood, 75 cm, Silver metallic  
DHL755B**



DHZ7305 Standard odor filter  
DHZ7402 Installation kit for canopy

**The canopy cooker hood: Offers you flexibility of either mounting on the wall or above an island kitchen**

- **especially silent:** maximal extractor performance with minimal noise
- **Intensive speed setting:** Removes strong kitchen odours quickly and effectively
- **Metal Grease Filter:** cleans the air, captures grease, easy monthly clean-up.

Typology:	.....	Built-in/Built-under
Length electrical supply cord:	.....	130.0 cm
Min. required niche size for installation (HxWxD):	.....	255mm x 700.0mm x 350mm mm
Net weight:	.....	9.5 kg
Type of control:	.....	mechanical
Number of speed settings:	.....	3-stages + intensive setting
Max. air extraction:	.....	390 m³/h
Boost position output recirculating:	.....	430.0 m³/h
Max. air recirculation:	.....	320 m³/h
Boost position air extraction:	.....	640 m³/h
Number of lights:	.....	2
Noise level:	.....	59 dB(A) re 1 pW
Diameter of air outlet:	.....	120 / 150 mm
Grease filter material:	.....	Washable aluminium
Odour filter:	.....	No
Operating Mode:	.....	Convertible
Optional accessories:	.....	DHZ7305, DHZ7402
Type of lamps used:	.....	Halogen
Total power of the lamps:	.....	40 W
Grease filter type:	.....	Kassette
Connection rating:	.....	240 W
Fuse protection:	.....	10 A
Voltage:	.....	220-240 V
Frequency:	.....	50 Hz
Plug type:	.....	Gardy plug w/ earthing
Installation typology:	.....	Built-in
Material body:	.....	Lacquered
Plug type:	.....	Gardy plug w/ earthing
Dimensions of the product, with chimney (if exists) (in):	.....	x x
Dimensions of the packed product:	.....	11.41 x 31.10 x 17.32
Net weight:	.....	21.000 lbs
Gross weight:	.....	23.000 lbs
Motor location:	.....	Integrated motor in hood body
No-return airflow flap:	.....	No
Length electrical supply cord:	.....	130.0 cm
Dimensions of the product, with chimney (if exists):	.....	255 x 730.0 x 380.0 mm
Dimensions of the packed product (HxWxD):	.....	290 x 790 x 440 mm
Net weight:	.....	9.5 kg
Gross weight:	.....	10.6 kg



4 242002 258522

## **Series 4, Canopy cooker hood, 75 cm, Silver metallic DHL755B**

**The canopy cooker hood: Offers you flexibility of either mounting on the wall or above an island kitchen**

---

### **Performance**

- Suitable for ducted or recirculating operation
- Max. extraction rate according to EN 61591: 640 m<sup>3</sup>/h
- Noise level according to EN 60704-3 and EN 60704-2-13 exhaust air:
- Max. normal use: 59 dB(A) re 1 pW (45dB(A) re 20 µPa sound pressure)
- Intensive: 69 dB(A) re 1 pW (55 dB(A) re 20 µPa sound pressure)

### **Functions**

- Twin motor
- Sliding switch control for extractor speeds and light
- 3 speeds plus intensive setting
- 2 removable metal grease filter

### **Design**

#### **Safety functions**

- Removable metal grease filter, dishwasher safe


#### **Technical information:**

- 120 or 150 mm diameter pipe
- Electrical connection rating: 240 W




BOSCH


**Series 4, Canopy cooker hood, 75  
cm, Silver metallic  
DHL755B**



measurements in mm



measurements in mm



measurements in mm