Serie | 2, Wall-mounted cooker hood, 90 cm, Stainless steel
DWB09W850B

The wall-mounted chimney hood: Mount it on the wall for complete freedom in your kitchen planning

- **Extraction rate:** A remarkable power of 750 m3/h which ensures optimal kitchen air quality.
- **Halogen lighting:** For optimal, energy-efficient illumination of your hob

Technical Data

Color chimney :	Stainless steel
Typology :	Chimney
Approval certificates :	CE, VDE
Length electrical supply cord (cm) :	130
Height of the chimney (mm) :	582-894/582-1004
Height of product, without chimney (mm) :	60
Net weight (kg) :	14.048
Type of control :	mechanical
Number of speed settings :	3
Maximum output air extraction (m3/h) :	750
Maximum output recirculating air (m3/h) :	460
Number of lights :	2
Noise level (dB(A) re 1 pW) :	72
Diameter of air outlet (mm) :	120 / 150
Grease filter material :	Washable aluminium
Odour filter :	No
Operating Mode :	Convertible
Optional accessories :	DHZ1225, DHZ1235, DHZ5325, DHZ5326, DSZ5200, DSZ5201, DSZ6200
Type of lamps used :	Halogen
Total power of the lamps (W) :	40
Grease filter type :	Kassette
Connection Rating (W) :	290
Current (A) :	10
Voltage (V) :	220-240
Frequency (Hz) :	50; 60
Plug type :	GB plug
Installation typology :	Wall-mounted
Material body :	Stainless steel
Approval certificates :	CE, VDE
Plug type :	GB plug
Dimensions of the product, with chimney (if exists) (in) :	/ x x
Dimensions of the packed product (in) :	15.94 x 23.42 x 38.77
Net weight (lbs) :	31
Gross weight (lbs) :	40
Motor location :	Integrated motor in hood chimney
No-return airflow flap :	No
Length electrical supply cord (cm) :	130
Dimensions of the product, with chimney (if exists) (mm) :	642-1064 x 900 x 500
Dimensions of the packed product (HxWxD) (mm) :	405 x 595 x 985
Net weight (kg) :	14.048
Gross weight (kg) :	18.0

4 242002 714431

Serie | 2, Wall-mounted cooker hood, 90 cm, Stainless steel
DWB09W850B

The wall-mounted chimney hood: Mount it on the wall for complete freedom in your kitchen planning

---

Performance

- Suitable for ducted or recirculating operation
- Max. extraction rate according to DIN/EN 61591: 750 m^3/h
- Max. noise level according to EN 60704-3 and EN 60704-2-13: 72 dB(A) re 1 pW (58 dB(A) re 20 µPa sound pressure)

Functions

- Twin channel high performance fan motor
- Rocker switches for extractor speeds and light
- 3 fan speeds
- 2 x 40 W lights
- 3 removable metal grease filter

Design

- Box design

Safety functions

- Removable metal grease filter, dishwasher safe

Technical information:

- Dimensions recirculating (HxWxD mm): 642-1064 x 900 x 500
- Dimensions exhaust air (HxWxD mm): 642-954 x 900 x 500
- Electrical connection rating: 290 W

Serie | 2, Wall-mounted cooker hood, 90 cm, Stainless steel
DWB09W850B