

# Series 8, Stainless steel HBG656RS1B











### Included accessories

2 x combination grid 1 x universal pan

## Optional accessories

HEZ633070: Professional pan, anthracite enamelled

HEZ635000: Barbecue-Set

- 4D Hot Air: even heat distribution for perfect results on any level.
- **DishAssist:** automatic setting of the optimal type of heat, temperature and time for countless dishes.
- TFT touchscreen control: easy-to-use thanks to the control ring with full text and images.
- **EcoClean Direct:** almost no cleaning is necessary thanks to a special coating of the rear- and side wall and the roof that automatically absorbs grime and regeneration program.

#### **Technical Data**

Gross weight: 38.7 kg

Color / Material Front : Stainless steel Built-in / Free-standing : Built-in

Integrated Cleaning system : catalytic all sides, Hydrolytic Min. required niche size for installation (HxWxD) : 585-595 x

560-568 x 550 mm

Dimensions : 595 x 594 x 548 mm

Dimensions of the packed product (HxWxD): 670 x 680 x 670

mm

Control Panel Material : Stainless steel

Door Material : Glass Net weight : 36.3 kg

Usable volume of cavity: 71 l

Cooking method:, 4D hot air, Bottom heat, Defrost setting, Full width grill, Half width grill, Hot Air-Eco, Hot air grilling, Pizza setting, pre-heating, Soft steaming, - Top and bottom heat,

warming

Number of interior lights:  ${\bf 1}$ 

Length electrical supply  $cord: 120 \ cm$ 

 $\label{eq:local_local_local_local} Interior\ Lights - \ cavity\ 1:1 \\ Pull-out\ system: 1-level \\ Clock\ function:\ Alarm,\ Off,\ On \\$ 

Included accessories : 2 x combination grid, 1 x universal pan

Broil Element Wattages cavity 1 : 2800 W Convection Element Wattages cavity 1 : 2200 W

Energy efficiency rating: A+

Energy consumption per cycle conventional (2010/30/EC) : 0.87

kWh/cycle

Energy consumption per cycle forced air convection (2010/30/

EC): 0.69 kWh/cycle

Energy efficiency index (2010/30/EC) : 81.2 %

Connection Rating: 3600 W Fuse protection: 16 A Voltage: 220-240 V Frequency: 60; 50 Hz Plug type: no plug

Color / Material Front : Stainless steel

Energy input : Electric

Required cutout/niche size for installation (in) : x x Dimensions of the packed product :  $26.37 \times 26.37 \times 26.77$ 

Net weight: 80.000 lbs Gross weight: 85.000 lbs

Length electrical supply  $cord: 120 \ cm$ 

Net weight: 36.3 kg

Included accessories: 2 x combination grid, 1 x universal pan





# Series 8, Stainless steel HBG656RS1B

- Oven with 13 heating modes: 4D hot air Hot Air-Eco -Conventional heat - Conventional heat ECO - Hot air grilling -Full width grill - Half width grill - Pizza setting - Bottom heat -Low temperature cooking - Defrost setting - Preheating - Keep warm
- Ecolyse features: ceiling, back panel, side liners
- Rapid heating-up

#### Design


- Electronic clock
- Halogen interior lighting switch for oven illumination

### **Safety Functions:**


- Integral cooling fan
- Electrical connection rating: 3600 W
- Length of mains cable: 120 cm
- Dimensions of the product (HxWxD mm): 595 x 594 x 548
- Required niche size for installation (HxWxD mm):  $585 595 \times 560 568 \times 550$



# Series 8, Stainless steel HBG656RS1B



measurements in mm



If the appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	37 mm	38 mm
Full surface Induction hob	47 mm	48 mm
Gas hob	30 mm	38 mm
Electric hob	27 mm	30 mm

