

Series 6, Built-in oven with added steam function, 60 x 60 cm, Stainless steel HIJ557YS0M



1 x enamel baking tray, 1 x combination grid, 1 x universal pan, 2 x universal pan, slim size

HEZ317000	Pizza pan, enamelled
HEZ327000	Pizza stone
HEZ425000	Grill tray
HEZ429001	Air Fry & Grill tray, anthracite
HEZ431002	Baking tray, enamelled
HEZ438301	3 level telescopic shelf rails
HEZ915003	Glass roasting dish, 5,4 L

- **LCD display control, white:** easy-to-use thanks to direct access to additional functions.
- **Pop-out controls:** for an easy to clean front.
- **Eco Clean Direct:** easy cleaning thanks to a coating that breaks down grease while you bake.
- **Flap door with SoftClose:** the oven door closes especially gently and quietly.
- **2-stage telescoping rails:** for safe, easy insertion and removal of baking trays.

Gross weight: 38.7 kg
 Built-in / Free-standing: Built-in
 Integrated Cleaning system: EcoClean Direct program
 Required niche size for installation (HxWxD): 575-597 x 560-568 x 550 mm
 Dimensions: 595x594x548 mm
 Dimensions of the packed product (HxWxD): 680 x 655 x 680 mm
 Control Panel Material: Stainless steel
 Door Material: Glass
 Net weight: 36.3 kg
 Usable volume of cavity: 66 l
 Cooking method: Hot air gentle, Hot Air, Conventional heat, Pizza setting, Bottom heat, Hot air grilling, Full width variable grill
 Length electrical supply cord: 146.0 cm
 Interior Lights - cavity 1: 1
 Pull-out system: 2-level
 Included accessories: 1 x enamel baking tray, 1 x combination grid, 1 x universal pan, 2 x universal pan, slim size
 Broil Element Wattages cavity 1: 2800 W
 Energy efficiency rating: A
 Energy consumption per cycle conventional (2010/30/EC): 0.98 kWh/cycle
 Energy consumption per cycle forced air convection (2010/30/EC): 0.79 kWh/cycle
 Energy efficiency index (2010/30/EC): 95.2 %
 Connection rating: 3300 W
 Fuse protection: 16 A
 Voltage: 220-240 V
 Frequency: 50; 60 Hz
 Plug type: no plug
 Energy input: Electric
 Required cutout/niche size for installation (in): x
 Dimensions of the packed product: 26.77 x 25.78 x 26.77
 Net weight: 80.000 lbs
 Gross weight: 85.000 lbs



4 242005 276585

Series 6, Built-in oven with added steam function, 60 x 60 cm, Stainless steel HIJ557YS0M

SER6, in order to assure an optimal design combination of your Built-In appliances.

- Oven

Heating Functions

- Oven with 8 heating methods: - 3D hot air plus, - Conventional heat, - Hot air grilling, - Pizza setting, - Bottom heat, - Hotair gentle, - Full width variable grill, Hot air + steam
- Temperature range 50 °C - 270 °C
- Cavity volume: 66 L

Hook-in racks / rails

- Number of shelf levels: 5 PC
- 2 level telescopic shelf rails

Design

- Rotary control dials, Retractable
- Enamel cavity anthracite

Cleaning:

- Ecolyse features: ceiling, back panel, side liners
- ecolyse program
- Full glass inner door

Comfort

- LED display control (red)
- Electronic clock
- Heating-up indicator
- Automatic programmes, 10
- straight bar handle
- Supporting systems: Programs
- Rapid heating-up
- Integral cooling fan

Standard Accessories

- 2 x universal pan, slim size, 1 x combination grid, 1 x enamel baking tray, 1 x universal pan

Safety Functions:

- Child lock, Residual heat indicator
- Length of mains cable: 146 cm
- Nominal voltage: 220 - 240 V
- Electrical connection rating: 3300 W


Technical Information

- Energy efficiency rating (acc. EU Nr. 65/2014): A(at a range of energy efficiency classes from A+++ to D)
- Energy consumption per cycle in conventional mode:0.98 kWh
- Energy consumption per cycle in fan-forced convection mode:0.79 kWh
- Number of cavities: 1 Heat source: electrical Cavity volume:66 L

Technical information:


- Dimensions of the product (HxWxD mm) : 595 x 594 x 548
- Required niche size for installation (HxWxD mm): 575 - 597 x 560 - 568 x 550
- "Please reference the built-in dimensions provided in the installation drawing"
- We recommend you to choose complementary products within

Series 6, Built-in oven with added steam function, 60 x 60 cm, Stainless steel
HIJ557YS0M




* 20 mm for metal fascias

measurements in mm



* 20 mm for metal fascias

measurements in mm



* 20 mm for metal fascias

Dimensions in mm