

Series 8, Built-In Fully Automatic Coffee Machine, Black CTL7181B0



- **Coffee World:** Discover the delicious taste of international coffee specialties.
- **AromaDouble Shot:** Extra-strong coffee with less bitterness thanks to two grinding and brewing processes
- **OneTouch DoubleCup:** Your choice of espresso or milk drinks with a click – even two cups at once.
- **OneTouch Function:** All coffee specialties at the touch of a button - no matter whether it's espresso, cappuccino or latte macchiato

Built-in / Free-standing:	Built-in
Frothing nozzle:	No
Display:	Yes
Water protection system:	no
Portion sizes:	All cups
Dimensions:	455x594x385 mm
Dimensions of the packed product (HxWxD):	550x560x660 mm
Required niche size for installation (HxWxD):	449x558x376 mm
Hot water spout:	No
Standby function:	Yes
Simultaneous preparation of 2 cups:	Yes
Included accessories: ... 1 x assembly screws, 1 x milk container, 1 x test strip, 1 x connection hose for milk frother, 1 x milk pipe, 1 x welcome-Box	
Fuse protection:	10 A
Voltage:	220-240 V
Frequency:	50/60 Hz
Plug type:	Gardy plug w/ earthing
Product group:	Built-in coffee machine
Product name/family:	Built-in coffee machines
Product name / Commercial code:	CTL7181B0
Typology:	Fully automatic
Length electrical supply cord:	170 cm
Maximum height for installation:	449 mm
Dimensions:	455x594x385 mm
Dimensions of the packed product (HxWxD):	550x560x660 mm
Net weight:	47.000 lbs
Net weight:	21.5 kg
Gross weight:	55.000 lbs
Gross weight:	24.8 kg
Capacity water container:	2.4 l



4 242005 310340



**Series 8, Built-In Fully Automatic
Coffee Machine, Black
CTL7181B0**

Flavour

convenience

Performance


Hygiene

Miscellaneous

Accessories


**Series 8, Built-In Fully Automatic
Coffee Machine, Black
CTL7181B0**

Measurements in mm




A: 7.5 mm

Measurements in mm



Bean and water containers are removed from the front
Recommended installation height
950–1450 mm


Measurements in mm



Bean and water containers are removed from the front
Recommended installation height
950–1450 mm

Measurements in mm

Left corner installation



If using the 92° hinge limiter, the min. distance to the wall is only 100 mm

Measurements in mm

