

Series 2, telescopic cooker hood, 60 cm, Black DFT63CA61



DWZ1IX1G9 Wall bracket
DWZ6IT0A0 Active carbon filter

The telescopic cooker hood: practically disappears into your upper cabinet, giving you a sleek kitchen front.

- 3-Speed Power Level Options To Suit Your Cooking Style And Recipes
- Ducted or Non-ducted Options

Typology: Pull-out
Length electrical supply cord: 150 cm
Required niche size for installation (HxWxD): ... 135mm x 598.0mm x 300mm mm
Net weight:9.5 kg
Type of control:mechanical
Number of speed settings: 3
Maximum output air extraction: 310 m³/h
Maximum output recirculating air:220 m³/h
Number of lights: 2
Noise level:67 dB(A) re 1pW
Diameter of air outlet: 120 mm
Grease filter material:Washable aluminium
Odour filter: No
Operating Mode: Convertible
Optional accessories:DWZ1IX1G9, DWZ6IT0A0
Type of lamps used: Not applicable
Total power of the lamps: 8 W
Grease filter type:Kassette
Clean filter reminders:No
Connection Rating: 181 W
Voltage: 220-240 V
Frequency: 50 Hz
Plug type: Gardy plug w/ earthing
Installation typology: Built-in
Material body: Lacquered
Plug type: Gardy plug w/ earthing
Dimensions of the product, with chimney (if exists) (in):x x
Dimensions of the packed product: 11.53 x 23.22 x 29.13
Net weight:21.000 lbs
Gross weight: 23.000 lbs
Motor location: Integrated motor in hood body
No-return airflow flap: Yes
Length electrical supply cord: 150 cm
Dimensions of the product, with chimney (if exists):175 x 598.0 x 300.0 mm
Dimensions of the packed product (HxWxD): 293 x 590 x 740 mm
Net weight:9.5 kg
Gross weight: 10.3 kg



4 242005 300471

**Series 2, telescopic cooker hood, 60
cm, Black
DFT63CA61**

**The telescopic cooker hood: practically
disappears into your upper cabinet, giving
you a sleek kitchen front.**

Performance

- Extraction rate exhaust air according to EN 61591 max. 310 m³/h
- Noise min./max. Normal Level: 57/67 dB*
- 3 fan speeds
- 90 cm Telescopic cooker hood , Stainless Steel
- Handle strip white
- Pull-out vapour with glass
- Metal grease filter, dishwasher safe
- Single motor
- Energy Efficiency Class: D*


Technical Information

- Dimensions exhaust air (HxWxD): 175-175 x 598 x 300 mm
- Dimensions recirculating (HxWxD): 175-175 x 598 x 300 mm
- Suitable for ducted or re-circulated extraction
- Power rating: 181 W

* In accordance with the EU-Regulation No 65/2014

**Series 2, telescopic cooker hood, 60
cm, Black
DFT63CA61**

measurements in mm



Hood Type	A	B	Hood Type	A	B
450	448	348	700	698	598
500	498	398	800	798	698
550	548	448	900	898	798
600	598	498			