

**Series 2, free-standing gas cooker,
Stainless steel
HGA120E59S**



Included accessories

1 x enamel baking tray
1 x grid
1 x universal pan

**The freestanding cooker with gas cooktop
and gas oven: achieve good results on one
level.**

Technical Data

Built-in / Free-standing : Free-standing
Color / Material Front : Stainless steel
Dimensions : x 600 x mm
Length electrical supply cord : 120 cm
Net weight : 47.7 kg
Gross weight : 52.3 kg
Integrated Cleaning system : No
Included accessories : 1 x enamel baking tray, 1 x grid, 1 x universal pan
Broil Element Wattages cavity 1 : 2100 W
Power of heating element (kW) : 3 kW
Power of 3rd heating element (kW) : 1.75 kW
Energy efficiency rating : A
Energy consumption per cycle conventional (2010/30/EC) : 1.77 kWh/cycle
Energy consumption gas oven per cycle conventional (2010/30/EC) : 6.36 MJ/cycle
Energy efficiency index (2010/30/EC) : 95.6 %
Voltage : 220-240 V
Frequency : 50-60 Hz
Plug type : Gardy plug w/ earthing
Color / Material Front : Stainless steel
Energy input : Gas
Gas type : Liquidgas G30,31 28-30/37 mbar
Gross weight : 115.000 lbs
Length electrical supply cord : 120 cm
Dimensions : x 600 x mm
Dimensions of the packed product (HxWxD) : 960 x 670 x 655 mm



Series 2, free-standing gas cooker, Stainless steel HGA120E59S

The freestanding cooker with gas cooktop and gas oven: achieve good results on one level.

Cooktop

- Burners: 2 standard, 1 economy, 1 rapid
- Front left: Rapid burner 3 KW
- Rear left: Standard burner 1.75 KW
- Rear right: Standard burner 1.75 KW
- Front right: Economy burner 1 KW
- Ignition via control knob
- Flame failure safety device
- Cast iron pan supports
- Glass cover lid

Heating Functions

- Gas freestanding cooker with 2 heating methods: Gas grill, Gas bottom heat
- Cavity volume: 71 l

Design

- Large
- Full glass inner door
- Standard drawer for kitchen utensils

Comfort

- Adjustable feet

Accessory:

- 1 x grid, 1 x enamel baking tray, 1 x universal pan

Technical information

- Appliance dimension (h x w x d): 850 mm x 600 mm x 600 mm
- Length of mains cable: 120 cm
- Nominal voltage: 220 - 240 V
- Total connected load gas: 10.5 KW
- Preset nozzle: Liquid gas (28-30/37mbar)
- Natural gas nozzles (20 mbar) included

Series 2, free-standing gas cooker, Stainless steel
HGA120E59S

