

Series 4, Variostyle basic appliance without colored door, 186 x 60 cm KGN36IJ3AJ



KSZ1AVD00 Door Espresso brown, KSZ1AVD10 Door Coffee brown,
KSZ1AVE00 Door Raspberry, KSZ1AVG00 Door Stone grey,
KSZ1AVH00 Door Lime green, KSZ1AVJ00 Door Mint green,
KSZ1AVK00 Door champagne, KSZ1AVL00 Door Plum, KSZ1AVN00
Door Pearl night blue, KSZ1AVO00 Door Orange, KSZ1AVP00 Door
Light rosé, KSZ1AVR00 Door Cherry red, KSZ1AVT00 Door Light blue,
KSZ1AVU00 Door Aqua, KSZ1AVU10 Door Petrol, KSZ1AVV00 Door
Pearl white, KSZ1AVX00 Door Pearl gold, KSZ1AVZ00 Door Black mat

Vario Style Bottom Freezer with VitaFresh - the first fridge that you can easily restyle anytime.

Built-in / Free-standing: Free-standing
Number of compressors: 1
Number of independent cooling systems: 2
Width of the appliance: 600 mm
Height: 1860 mm
Depth of the product: 660 mm
Net weight: 70.3 kg
Door panel options: Not possible
Door hinge: Right reversible
Number of Adjustable Shelves in fridge compartment: 2
Shelves for Bottles: Yes
Frost free system: Fridge and freezer
Interior ventilator: No
Reversible Door Hinge: Yes
Length electrical supply cord: 240.0 cm
Noise level: 39 dB(A) re 1pW
Multi-Flow Air Tower: Yes
Fast cooling switch: Yes
Fast freezing switch: No
Temperature Controlled Drawer: No
Humidity Control Drawer: No
Number of Door Bins - Refrigerator: 3
Door bin adjustability - Refrigerator: No
Tilt-out door bins in fridge: No
Gallon Storage: Yes
Number of Gallon storage: 1
Motorized Shelf: No
Material of the shelves: Safety glass
Door opened indicator freezer: No
Automatic motor-driven ice-maker: No
Connection Rating: 100 W
Fuse protection: 10 A
Voltage: 220-240 V
Frequency: 50 Hz
Storage Period in Event of Power Failure (h): 16 h
Door panel options: Not possible
Noise level: 39 dB(A) re 1pW
Energy Star Qualified: No
Plug type: Thai plug
Required cutout/niche size for installation (in): x
Dimensions of the packed product: 75.59 x 25.98 x 29.92
Net weight: 155.000 lbs
Gross weight: 170.000 lbs



**Series 4, Variostyle basic appliance
without colored door, 186 x 60 cm
KGN36IJ3AJ**

**Vario Style Bottom Freezer with VitaFresh
- the first fridge that you can easily restyle
anytime.**

General Data

- Net Capacity (Total) : 11.7Q
- Net Capacity (Fridge) : 8.5Q
- Net Capacity (Freezer) : 3.2 Q
- Energy Consumption: 260 kWh/yr
- Appliance Height: 1860 mm
- Appliance Width: 600 mm
- Appliance Depth: 660 mm
- Net Weight: 70.3

Cooling System

- NoFrost - Saves you time and effort from defrosting
- Supercooling - Automatically brings down the temperature of the refrigerator to cool new groceries rapidly.
- Superfreezing - Automatically brings down the temperature of the freezer to keep cool new items rapidly.
- Multi-airflow system - Minimises fluctuating temperatures by ensuring optimal and uniform air circulation in the fridge.

Convenience & Safety

- LED illumination in fridge with "soft start"
- Separate temperature controls for Fridge and Freezer
- Alarm system to alert the prolonged opening of refrigerator doors
- Adjustable front feet for added stability
- Airfresh filter to neutralise odours in the fridge
- Reversible door hinge for flexible installation

Fridge Compartment

- 1 VitaFresh drawer equipped with humidity control
- 2 VitaFresh boxes so fish and meat stay fresh for longer.
- 3 Extension rail systems for easy pull-out of drawer-compartments
- 4 safety glass shelves of which 2 are height adjustable
- 1 door trays (large)
- 2 door trays (small)
- 1 Bottle rack

Freezer Compartment

- 3 Pull-out drawers for storage
- 3 storage drawers on extension rail systems for easy pull-out
- 1 Ice cube tray with Lid(s)
- Freezing Capacity: 14 kg/ 24h

Design and Styling


- Stainless steel with changeable colour door panel
- Integrated vertical handle

Accessories

- 3 egg tray(s)


Series 4, Variostyle basic appliance without colored door, 186 x 60 cm KGN36IJ3AJ

Appliance name	a	b	c	d	e	f	g
KGN36 (Inner handle)	1860	600	660	590	600	1210	660
KGN36 (Outer handle)	1860	600	660	590	640	1210	700



Specification
a Height
b Width
c Depth with door closed, without handle
d Cabinet depth
e Width with door opened to 90°
f Depth with door opened
g Depth with door closed, with handle

measurements in mm



Appliance name	A	B	C	D
KGN33, 36, 39, 46, 49	0/65	20	590	125
KGF39, 49	0/65	20	590	125

Dimension A:
In models with vertical integrated handles,
in order to open easily, a minimum distance
of 65 mm is needed.

measurements in mm