

Wall Hood, 30", Stainless Steel DKE9605PUC



- **600 CFM Centrifugal Blower**
- **Recirculation Mode: With the right accessory, your kitchen can eliminate foul odors.**
- **Absorbs Odors with Charcoal: air is passed through a charcoal filter that decreases bad odor.**

UPC code: 825225854166
 Material: Glass
 Watts: 580 W
 Volts: 110 V
 Frequency: 60 Hz
 Power Cord Length: 51 2/16 "
 Plug type: 120V-3 prong
 Overall Appliance Dimensions (HxWxD) (in): 28 1/8" - 43 5/16" + 31 3/4" - 46 13/16" x 30 " x 20 7/16 "
 Product Packaging Dimensions (HxWxD): 28.34 x 39.76 x 25.98
 Height of the Chimney (in): 26 1/4" - 41 3/8"/29 7/8" - 45"
 Required Distance Above Cooktop/Ranges: 30 "/30 "
 Net Weight: 50.000 lbs
 Gross Weight: 67.000 lbs
 Motor location: Integrated motor in hood chimney
 Maximum CFM: 600 Cu Ft mi
 Diameter of air duct (in) top: 6
 Damper: Yes

DHZ9600UC Chimney Extension
 DRZ94UC Re-circulating kit

Wall Hood, 30", Stainless Steel DKE9605PUC

Key Features

- 600 CFM Blower Included
- Sophisticated Glass Canopy
- 2 Halogen Lights
- Seven-segment Digital Display
- Recirculation Option Available

Design

- Wall Mounted Chimney Hood
- Brushed Stainless Steel Finish

Performance

- Four Power Levels
- Whisper-quiet at 54 dBA
- Quickly and Quietly Clears the Air of Smoke and Odor

Convenience

- Dishwasher-safe Mesh Filters
- Adjustable Chimney

Wall Hood, 30", Stainless Steel
DKE9605PUC

