


## Gas Cooktop, 36", Stainless steel NGM8654UC



NEZ1054      LP CONVERSION KIT, NGM GAS COOKTOP

- **PowerSim®** – Quick Heating with Large Flame or Gentle Simmering with a Diffuser Cap
- **OptiSim®** – Simmer Delicate Sauces without Scorching
- **Centralized Controls for Easy Use and More Intuitive Operation of Cooktop.**
- **Heavy-Duty Metal Plated Knobs for a Quality Look and Feel.**
- **Cooktop Design Coordinates with Bosch Wall Ovens**

---

UPC code: ..... 825225858423  
 Color: ..... Stainless steel  
 Energy source: ..... Gas  
 Gas type: ..... Natural gas 15 mbar (USA)  
 Alternative gas type: ..... Liquid gas 27,5 mbar (USA)  
 Fuse protection: ..... 15 A  
 Volts: ..... 120 V  
 Frequency: ..... 60 Hz  
 Power Cord Length: ..... 60"  
 Plug Type: ..... 120V-3 prong  
 Required Cutout Size (HxWxD) (in): .. 3 13/16" x 34 15/16" x 19 1/8"  
 Minimum distance from counter front (in): ..... 1 7/8"  
 Minimum distance from rear wall (in): ..... 3"  
 Overall appliance dimensions (HxWxD) (in): 3 13/16" x 37" x 21 1/4"  
 Product Packaging Dimensions (HxWxD): .. 8 3/8" x 43 1/8" x 24 3/4"  
 Net Weight: ..... 48.000 lbs  
 Gross Weight: ..... 53.000 lbs

---



## Gas Cooktop, 36", Stainless steel NGM8654UC

---

### Key Features

- PowerSim® – Quick Heating with Large Flame or Gentle Simmering with a Diffuser Cap
- OptiSim® – Simmer Delicate Sauces without Scorching
- Centralized Controls for Easy Use and More Intuitive Operation of Cooktop.

### Design

- Heavy-Duty Metal Plated Knobs for a Quality Look and Feel.
- Cooktop Design Coordinates with Bosch Wall Ovens
- Low-Profile Design for a More Integrated Appearance

### Performance

- Powerful 18,000 BTU center-mounted burner

### Convenience

- Automatic Electronic Re-Ignition - in Case Flame Goes Out the Burner is Automatically Re-Ignited
- Continuous Grates - Effortlessly Move Pots and Pans. Easy to Clean
- Sealed Burners Prevent Spills From Entering the Burner Box

**Gas Cooktop, 36", Stainless steel  
NGM8654UC**

