


Induction Cooktop, 30", Black, Without Frame NIT8065UC





HEZ390030 set of 3 pots for induction hob HEZ390090 Wok Set consisting of 3 Items HEZ390210 System pan diameter 15 cm HEZ390230 System pan diameter 21 cm HEZ390260 Paella pan diameter 28 cm

- Power Boost: up to 35% faster heating compared to highest power level.
- Panel Lock: locks the control panel to prevent accidental changes in settings
- Induction: faster than gas and electric cooktops. Precise cooking, easy cleaning and more efficient.
- Precise Temperature Control: Induction cooking offers a range of numbered heat levels for precise temperature and heat levels every time
- Count-Up Timer: allows you to accurately time each step of your recipe.

UPC code:	825225866190
Color:	Black
Energy source:	Electric
Fuse protection:	40 A
Volts:	208-240 V
Frequency:	60 Hz
Power Cord Length:	37
Plug Type:	No Plug
Required Cutout Size (HxWxD) (in):4 1/8"	x 28 7/8" x 20"
Minimum distance from counter front (in):	2 1/4"
Minimum distance from rear wall (in):	2"
Overall appliance dimensions (HxWxD) (in): 5/16"+4 1	/8" x 31" x 21
1/4"	
Product Packaging Dimensions (HxWxD): 7 1/16" x 36	5/8" x 26 5/8"
Net Weight:	42.000 lbs
Gross Weight:	50.000 lbs
Total Number of Heating Elements:	





Induction Cooktop, 30", Black, Without Frame NIT8065UC

Key Features

- 11" Heating Element with Powerful 3600W
- SpeedBoost $^{\rm m}$ This Fast-heat Mode Boils Water Twice as Fast as Conventional Electric Cooktops, Saving Time and Energy.
- CountDown Timer Built-in Timers for Each Element. Doubles as General-Purpose Kitchen Timer
- AutoChef® Sensor A Bosch Exclusive. Maintains Exact Frying Temperature for Perfect Results and Convenient, Healthy Cooking
- SteelTouch™ with PreciseSelect™ A Bosch Exclusive. High-end, Stainless Steel Touch Controls with Direct Cooking Selection (17 Settings).

Design

- High-end Stainless Steel Frame for a Premium Look

Performance

- PreciseSelect® Direct Cooking Level Selection (17 Settings)
- Bosch Recommended Pan Included Excellent Heating Performance and Superior Cleanability, Dishwasher Safe, Works with Electric and Induction Cooktops

Efficiency


- PotSense - Automatically Recognizes Bottom of Pan on Cooking Element

Convenience

- Overflow Detection Sounds Alarm and Shuts off Cooktop in Case of an Overflow
- ChildLock Prevents the Cooktop from Being Accidentally Switched On, Locks Temperature Settings if in Use
- SafeStart Ensures that Element is Only Activated, if Suitable Cookware is in Position; no Activation When Other Metal Objects are Placed on Element
- Anti-Overheat System Shuts off Cooktop, if Surface Temperature Exceeds a Set Value
- 2-Level Heat Indicator Warns if Cooktop is Warm or Hot



Induction Cooktop, 30", Black, Without Frame NIT8065UC



- Minimum clearance from the cooktop cutout to the wall

 Installed depth includes a gap of 1" (26 mm) for ventilation

 Minimum clearance between the cooktop surface and lower edge of the exhaust hood.

measurements in inches (mm)