

# Induction Cooktop, 36", Black, Without Frame NIT8665UC





HEZ390220 System pan diameter 19 cm HEZ390230 System pan diameter 21cm

- Power Boost: up to 35% faster heating compared to highest power level.
- Panel Lock: locks the control panel to prevent accidental changes in settings
- Induction: faster than gas and electric cooktops. Precise cooking, easy cleaning and more efficient.
- Precise Temperature Control: Induction cooking offers a range of numbered heat levels for precise temperature and heat levels every time
- Count-Up Timer: allows you to accurately time each step of your recipe.

UPC code:	825225866411
Color:	Black
Energy source:	Electric
Fuse protection:	50 A
Volts:	208-240 V
Frequency:	60 Hz
Power Cord Length:	
Plug Type:	No Plug
Required Cutout Size (HxWxD) (in):4 1/8"	x 34 7/8" x 20"
Minimum distance from counter front (in):	2 1/4"
Minimum distance from rear wall (in):	2"
Overall appliance dimensions (HxWxD) (in): 5/16"+4	1/8" x 37" x 21
1/4''	
Product Packaging Dimensions (HxWxD): 7 1/16" x 42	2 1/8" x 26 3/4"
Net Weight:	50.000 lbs
Gross Weight:	60.000 lbs
Total Number of Heating Elements:	





# Induction Cooktop, 36", Black, Without Frame NIT8665UC

## **Key Features**

- Dual 11" Heating Element with Powerful 4400W
- SpeedBoost  $^{\rm m}$  This Fast-heat Mode Boils Water Twice as Fast as Conventional Electric Cooktops, Saving Time and Energy.
- CountDown Timer Built-in Timers for Each Element. Doubles as General-Purpose Kitchen Timer
- AutoChef® Sensor A Bosch Exclusive. Maintains Exact Frying Temperature for Perfect Results and Convenient, Healthy Cooking
- SteelTouch™ with PreciseSelect™ A Bosch Exclusive. High-end, Stainless Steel Touch Controls with Direct Cooking Selection (17 Settings).

#### Design

- High-end Stainless Steel Frame for a Premium Look

#### Performance

- PreciseSelect® Direct Cooking Level Selection (17 Settings)
- Bosch Recommended Pan Included Excellent Heating Performance and Superior Cleanability, Dishwasher Safe, Works with Electric and Induction Cooktops

### **Efficiency**


- PotSense - Automatically Recognizes Bottom of Pan on Cooking Element

### Convenience

- Overflow Detection Sounds Alarm and Shuts off Cooktop in Case of an Overflow
- ChildLock Prevents the Cooktop from Being Accidentally Switched On, Locks Temperature Settings if in Use
- SafeStart Ensures that Element is Only Activated, if Suitable Cookware is in Position; no Activation When Other Metal Objects are Placed on Element



# Induction Cooktop, 36", Black, Without Frame NIT8665UC



- Minimum clearance from the cooktop cutout to the wall

  Installed depth includes a gap of 1" (26 mm) for ventilation

  Minimum clearance between the cooktop surface and lower edge of the exhaust hood.

measurements in inches (mm)