


**Series 8, Built-in warming drawer, 60 x 14 cm, Black  
BIC630NB1B**



**The multifunctional warming drawer for the 14 cm niche: for pre-heating plates, keeping food warm and low temperature cooking.**

- **Push-Pull mechanism:** easy opening and closing thanks to a clever spring mechanism.
- **Cleaning convenience:** easy to clean hotplate made of tempered glass.

---

Built-in / Free-standing: .....	Built-in
Maximum number of plates: .....	12
Maximum number of espresso cups: .....	64
Dimensions: .....	140x594x548 mm
Dimensions of the packed product (HxWxD): .....	210 x 650 x 670 mm
Min. required niche size for installation (HxWxD): .....	140 x 560 x 550 mm
Time control: .....	No
Fuse protection: .....	10 A
Voltage: .....	220-240 V
Frequency: .....	60; 50 Hz
Plug type: .....	GB plug
Required cutout/niche size for installation (in): .....	x
Dimensions of the packed product: .....	8.26 x 25.59 x 26.37
Net weight: .....	34.000 lbs
Gross weight: .....	38.000 lbs
Length electrical supply cord: .....	150.0 cm
Min. required niche size for installation (HxWxD): .....	140 x 560 x 550 mm
Dimensions: .....	140x594x548 mm
Dimensions of the packed product (HxWxD): .....	210 x 650 x 670 mm
Net weight: .....	15.4 kg
Gross weight: .....	17.4 kg

---



**Series 8, Built-in warming drawer, 60  
x 14 cm, Black  
BIC630NB1B**

**The multifunctional warming drawer for  
the 14 cm niche: for pre-heating plates,  
keeping food warm and low temperature  
cooking.**

---

**Design**

- Opening without handle (push&pull)
- Rotary Control
- Heating plate made of toughened glass

**Comfort**

- 5 functions: dough proving thawing of delicate foods keeping drinks and food warm pre-warming of crockery gentle cooking
- Temperature control in 4 levels: ca. 40 °C - 80 °C (glass surface temperature)
- Max. loading espresso cups: 64 PC or Max. loading plates: 12 PC
- Cavity volume: 20 l
- Loading up to 25 kg

**Technical Information**

- Appliance dimension (hxwxd): 140 mm x 594 mm x 548 mm
- Niche dimension (hxwxd): 140 mm x 560 mm - 568 mm x 550 mm
- Length of mains cable: 150 cm
- Total connected load electric: 0.81 KW
- Nominal voltage: 220 - 240 V
- "Please reference the built-in dimensions provided in the installation drawing"

**Series 8, Built-in warming drawer, 60  
x 14 cm, Black  
BIC630NB1B**

---

