

Series 8, Built-In Fully Automatic Coffee Machine, Black CTL7181B0



- **TFT-touchdisplay Pro:** Smooth slide and touch display for comfortable operation.
- **Coffee World:** Discover the delicious taste of international coffee specialties.
- **Favorites:** Save up to 30 individual coffee preferences.
- **AromaSelect:** The perfect aroma profile for every individual taste.
- **Home Connect:** Discover smart home appliances that make everyday life easier.

Built-in / Free-standing: Built-in
 Frothing nozzle: No
 Display: Yes
 Water protection system: no
 Portion sizes: All cups
 Dimensions: 455x594x385 mm
 Dimensions of the packed product (HxWxD): 550x560x660 mm
 Required niche size for installation (HxWxD): 449x558x376 mm
 Hot water spout: No
 Standby function: Yes
 Simultaneous preparation of 2 cups: Yes
 Included accessories: ... 1 x assembly screws, 1 x milk container, 1 x test strip, 1 x connection hose for milk frother, 1 x milk pipe, 1 x welcome-Box
 Optional accessories: TCZ7003, TCZ7033, TCZ8001A, TCZ8002A, TCZ8004A, Y988081300, Y988081302, Y988081303, Y988081012
 Fuse protection: 10 A
 Voltage: 220-240 V
 Frequency: 50/60 Hz
 Plug type: GARDY plug w/ earthing
 Product group: Built-in coffee machines
 Product name/family: Built-in coffee machines
 Product name / Commercial code: CTL7181B0
 Typology: Fully automatic
 Length electrical supply cord: 170 cm
 Maximum height for installation: 449 mm
 Dimensions: 455x594x385 mm
 Dimensions of the packed product (HxWxD): 550x560x660 mm
 Net weight: 47.000 lbs
 Net weight: 21.5 kg
 Gross weight: 55.000 lbs
 Gross weight: 24.8 kg
 Capacity water container: 2.4 l



Series 8, Built-In Fully Automatic Coffee Machine, Black CTL7181B0

(TCZ8004A)

Flavour

- up to 32 beverages (incl. milk, milk foam and hot water) within appliance and Home Connect app
- warm milk, milk froth and hot water function
- aromaSelect – 3 different aroma profiles (mild-balanced-distinctive)
- adjustable milk ratio for classic milk-mix beverages
- intelligent strength adjustment – adaptive coffee management based on strength and size
- yes – less bitterness in large beverages due to two brewing processes

Convenience

- TFT-Touchdisplay Pro - 6.8" TFT- color display with touch and slide functionality
- Favorites: save up to 30 personalised beverages
- height adjustable beverage outlet (up to 15 cm (max) high glasses)
- oneTouch DoubleCup – get two cups at the touch of a button
- 2.4 l removable water tank

Performance

- Ceramic (2 discs) – high-quality grinder made of wear-resistant ceramic
- water pump with 19 bar pressure

Hygiene

- steam blast – automatic steam cleaning after every drink
- yes – combined descaling and cleaning program for less effort
- removable brewing unit – for easy and hygienic cleaning
- dishwasher-proof: beverage outlet, drip tray and drip pans
- automatic reminder for cleaning, descaling or water filter change

Home Connect

- remote control – operate your appliance from everywhere
- CoffeePlaylist – select several drinks in the app, prepared in your chosen order
- additional coffee know-how
- software update – always the newest software status
- online support
- Security: Security is of top priority at Home Connect. The Home Connect app has been tested and certified by TÜV IT. And the encrypted data transfer via Home Connect protocol protects against unauthorised access.

Miscellaneous


- integrated 0,7 l milk container
- 400 g bean container with aroma protection lid
- illuminated coffee outlet and stage
- adjustable grinding degree (multi-level)
- child lock

Accessories

- included accessories: 1 x assembly screws, 1 x milk container, 1 x welcome-Box, 1 x test strip, 1 x connection hose for milk frother, 1 x milk pipe
- Separately available accessories: cleaning tablets (TCZ8001A), descaling tablets (TCZ8002A), BRITA Intenza water filter (TCZ7003), care set for fully-automatic espresso makers


**Series 8, Built-In Fully Automatic
Coffee Machine, Black
CTL7181B0**

Measurements in mm




A: 7.5 mm

Measurements in mm



Bean and water containers are removed from
the front
Recommended installation height
950–1450 mm


Measurements in mm



Bean and water containers are removed from
the front
Recommended installation height
950–1450 mm

Measurements in mm

Left corner installation



If using the 92° hinge limiter, the min. distance
to the wall is only 100 mm

Measurements in mm

