


## Series 8, Built-in oven, 60 x 60 cm, Stainless steel HBG633BS1A



1 x grill tray, 2 x combination grid, 1 x universal pan

HEZ327000 Pizza stone, HEZ530000 Half tray, HEZ531010 Baking tray, non-stick ceramic coated, HEZ532010 Universal pan, non-stick ceramic coated, HEZ617000 Pizza pan, enamelled, HEZ625071 Grill tray, anthracite, HEZ631070 Baking tray, enamelled, HEZ632070 Multipurpose pan, enamelled, HEZ633001 Lid for professional pan, enamelled, HEZ633070 Professional pan with grid, enamelled, HEZ634000 Baking and roasting grid, HEZ635000 Barbecue-Set, HEZ636000 Glass pan, HEZ638100 1 level telescopic shelf rail, full ext, HEZ638200 2 level telescopic shelf rails, full ext, HEZ638300 3 level telescopic rails, full ext, HEZ660050 Cover Strip, HEZ664000 Baking and roasting grid, steam, HEZ915003 Glass roasting dish, 5,4 L

- **4D hotair:** even heat distribution for perfect results – on any level.
- **TFT Touch Display:** easy-to-use thanks to the Control Ring with clear text and symbols.
- **EcoClean Direct:** less cleaning effort thanks to a special coating of the rear wall that automatically absorbs grime.
- **Flap door with SoftOpen and SoftClose:** the oven door opens and closes especially gently and quietly.
- **Ideal for preparing of frozen pizza.**

Gross weight: ..... 37.5 kg  
 Built-in / Free-standing: ..... Built-in  
 Integrated Cleaning system: ..... EcoClean Direct program, Hydrolytic  
 Required niche size for installation (HxWxD): .....585-595 x 560-568 x 550 mm  
 Dimensions: ..... 595x594x548 mm  
 Dimensions of the packed product (HxWxD): ..... 670 x 670 x 680 mm  
 Control Panel Material: ..... Stainless steel  
 Door Material: ..... Glass  
 Net weight: .....35.1 kg  
 Usable volume of cavity: ..... 71 l  
 Heating modes:: 4D hotair, Defrost, Full width grill, Hot Air-Eco, Half width grill, Conventional heat, Conventional heat ECO, Pizza setting, Bottom heat, Hot air grilling  
 Number of interior lights: ..... 1  
 Length electrical supply cord: ..... 120.0 cm  
 Interior Lights - cavity 1: ..... 1  
 Pull-out system: ..... Accessory  
 Included accessories: ..... 1 x grill tray, 2 x combination grid, 1 x universal pan  
 Broil Element Wattages cavity 1: .....2800 W  
 Convection Element Wattages cavity 1: .....2200 W  
 Energy efficiency class: .....A+  
 Energy consumption per cycle conventional (2010/30/EC): .....0.87 kWh/cycle  
 Energy consumption per cycle forced air convection (2010/30/EC): .....69 kWh/cycle  
 Energy efficiency index (2010/30/EC): .....81.2 %  
 Connection rating: ..... 3600 W  
 Fuse protection: .....16 A  
 Voltage: ..... 220-240 V  
 Frequency: ..... 60; 50 Hz  
 Plug type: .....No plug (electrical connection by electrician)  
 Energy input: .....Electric  
 Required cutout/niche size for installation (in): .....x  
 Dimensions of the packed product: ..... 26.37 x 26.37 x 26.77  
 Net weight: .....77.000 lbs  
 Gross weight: ..... 83.000 lbs  
 Length electrical supply cord: ..... 120.0 cm  
 Net weight: .....35.1 kg



4 242002 627124

## **Series 8, Built-in oven, 60 x 60 cm, Stainless steel HBG633BS1A**

- The built-in oven: you get perfect baking and roasting results.

### **Type of oven / heating system:**

- Oven with 10 heating methods: 4D hotair, Hotair Eco,, Conventional heat, Conventional heat ECO, Hot air grilling, Full width grill, Half width grill, Pizza setting, Bottom heat, Defrost
- Temperature range 30 °C °C - 300 °C °C
- Cavity volume: 71 l l

### **Design**


- 2,5"-TFT-color and text display with touch-control buttons
- Cavity inner surface: Enamel anthracite
- Oven door with SoftOpen and SoftClose, Drop down door

### **Comfort**


- EcoClean Direct : Coating of back panel
- Innerdoor main: Full glass inner door
- low door temperature
- Temperature proposal Actual temperature display Heating-up control Sabbath setting
- Electronic clock
- Rapid heating-up
- Halogen interior lighting
- Integral cooling fan
- Stainless-steel fan
- Info button
- Child lock Automatic switch off Residual heat indicator Start-/Stop button Door contact switch
- Cavity with shelf support rails, Telescopic slide-out Accessory
- Grill tray, suitable for pyrolytic cleaning, combination grid, universal pan
- Energy efficiency rating (acc. EU Nr. 65/2014): A+(at a range of energy efficiency classes from A+++ to D)
- Energy consumption per cycle in conventional mode:0.87 kWh kwh  
Energy consumption per cycle in fan-forced convection mode: 0.69 kWh kwh

### **Technical Information**

- Length of mains cable: 120 cm
- Total connected load electric: Total connected load electric: 3.6 KW KW
- Appliance dimension (hxwxh): 595 mm x 594 mm x 548 mm
- Niche dimension (hxwxh): 575 mm-597 mmx560 mm-568 mmx550 mm
- "Please reference the built-in dimensions provided in the installation drawing"



measurements in mm



If the appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	37 mm	38 mm
Full surface Induction hob	47 mm	48 mm
Gas hob	30 mm	38 mm
Electric hob	27 mm	30 mm

