

**Series 6, American side by side,  
178.7 x 90.8 cm, Stainless steel  
(with anti-fingerprint)  
KAG93AIEPG**



- **HolidayMode:** protecting frozen foods and preventing energy wastage in the fridge.
- **SuperCooling:** cools new food placed inside faster, thus protecting already cooled food.

Energy Efficiency Class (Regulation (EU) 2017/1369):	..... E
Average annual energy consumption in kilowatt hour per year (kWh/a) (EU) 2017/1369:	.....323 kWh/annum
Sum of volume of frozen compartments (EU 2017/1369):	..... 191 l
Sum of volume of chill compartments:	..... 369 l
Airborne acoustical noise emissions :	.....42 dB(A) re 1 pW
Airborne acoustical noise emission class (EU 2017/1369):	..... D
Built-in / Free-standing:	.....Free-standing
Number of compressors:	..... 1
Number of independent cooling systems:	..... 1
Width of the appliance:	..... 908 mm
Height:	..... 1787 mm
Depth of the product:	..... 707 mm
Net weight:	..... 120.2 kg
Door panel options:	..... Not possible
Door hinge:	.....left and right
Number of Adjustable Shelves in fridge compartment:	..... 0
Shelves for Bottles:	..... Yes
Frost free system:	..... Fridge
Interior ventilator:	..... No
Reversible Door Hinge:	..... No
Length electrical supply cord:	..... 200.0 cm
Noise level:	.....42 dB(A) re 1 pW
Multi-Flow Air Tower:	..... Yes
Fast cooling switch:	.....Yes
Fast freezing switch:	.....Yes
Carbon Air Filter:	..... No
Temperature Controlled Drawer:	..... No
Humidity Control Drawer:	.....No
Number of Door Bins - Refrigerator:	.....5
Door bin adjustability - Refrigerator:	..... No
No Tilt-out door bins in fridge:	.....No
Number of Gallon storage:	..... 3
Number of shelves - Freezer:	..... 0
Shelf Adjustability - Freezer:	.....Yes
Connection rating:	..... 240 W
Fuse protection:	.....13 A
Voltage:	..... 220-240 V
Frequency:	..... 50 Hz
Storage Period in Event of Power Failure (h):	.....3 h
Color / Material body:	..... Grey
Door panel options:	..... Not possible
Noise level:	.....42 dB(A) re 1 pW
Energy Star Qualified:	.....No
Required cutout/niche size for installation (in):	.....x
Dimensions of the packed product:	..... 74.68 x 38.66 x 30.70
Net weight:	.....265.000 lbs
Gross weight:	..... 289.000 lbs



## **Series 6, American side by side, 178.7 x 90.8 cm, Stainless steel (with anti-fingerprint) KAG93AIEPG**

- A large capacity Stainless Steel designed side-by-side fridge-freezer with VariolInverter and intuitive LED electronic control

### **General Data**

- Gross Capacity (Total) : 598 L
- Net Capacity (Total) : 531 L
- Net Capacity (Fridge) : 366 L
- Net Capacity (Freezer) : 165 L
- Appliance Height : 1787 mm
- Appliance Width : 908 mm
- Appliance Depth : 707 mm
- Gross Weight: 131.0 Kg
- Net Weight: 120.9 Kg

### **Cooling System**

- NoFrost - Saves you time and effort from defrosting.
- Supercooling - Automatically brings down the temperature of the refrigerator to cool new groceries rapidly.
- Multiairflow system - Minimises fluctuating temperatures by ensuring optimal and uniform air circulation in the fridge.

### **Convenience & Safety**

- LED illumination in fridge and freezer sections
- Digital LED electronic panel
- Separate temperature controls for Fridge and Freezer
- Alarm system to alert the prolonged opening of refrigerator doors
- Door in door for quick access to fridge section

### **Fridge Compartment**

- 2 Pull out drawer, incl. 1 Multibox
- 5 safety glass shelves
- 4 door trays (large)

### **Freezer Compartment**

- 2 Pull out drawer, incl. 1 Big Box for large size storing
- 2 storage drawers on extension rail systems for easy pull-out
- 5 glass shelves
- 3 door Bins
- Automatic Ice-Water dispenser which dispenses water, ice-cubes and crushed-ice
- Freezing capacity of 12 kg/24h

### **Design and Styling**


- Stainless-steel with fingerprint resistant door finishing for easy cleaning
- Integrated vertical handle

### **Accessories**


- 1 Egg tray(s)
- 1 Connection hose

**Series 6, American side by side,  
178.7 x 90.8 cm, Stainless steel  
(with anti-fingerprint)  
KAG93AIEPG**


measurements in mm



x1 (unit depth)	a	b
600	20	26



measurements in mm



Specifications	
<b>A</b>	Front is adjustable from 1783 to 1792
<b>B</b>	Cabinet depth
<b>C</b>	Depth incl. door, without handle
<b>D</b>	Depth incl. door, with handle
<b>E</b>	Water connection to the appliance