

**Series 4, Free-standing dishwasher,
60 cm, Brushed steel anti-fingerprint
SMS46GI01P**



- SGZ1010 inlet and outlet hose extension
- SMZ2014 Rack insert for stemware dishwasher
- SMZ5000 Dishwashing aid set
- SMZ5001 Baby care kit

**Our ActiveWater 60 with HygienePlus
Option: Rinses your dishes at extra high
temperatures for top hygienic cleanliness.**

- **24h Delay Start Timer** lets you run your dishwasher at off-peak times.
- **Stainless steel tall tub with polypropylene bottom** delivers durability.
- **VarioFlex baskets: enhanced flexibility in basket re-adjusting** creates more space for your dishes.
- **7-Segment Display:** indicates remaining time and standard info, such as re-fill status.
- **AquaStop:** the safety net against water damages. A warranty through the lifetime of the dishwasher.

Maximum number of place settings:	12
The water consumption of the eco programme in liters per cycle (EU 2017/1369):	9.5 l
Water consumption:	9.5 l
Total annual energy consumption 220 days:	224 kWh
Total annual water consumption 220 days:	2090 l
Built-in / Free-standing:	Free-standing
Removable top:	Yes
Door panel options:	Not possible
Height of removable worktop:	30 mm
Height of the appliance:	845 mm
Adjustable feet:	Yes - all
Maximum adjustability feet:	20 mm
Adjustable plinth:	No
Net weight:	48.7 kg
Gross weight:	50.0 kg
Connection rating:	2400 W
Fuse protection:	10 A
Voltage:	220-240 V
Frequency:	50; 60 Hz
Length electrical supply cord:	175.0 cm
Plug type:	GB plug
Length inlet hose:	165 cm
Length outlet hose:	190 cm
Hidden heating element:	Yes
Water protection system description:	Triple water protection 24h
Child safety devices:	Electr. lock panel
Water softener:	Yes
Top basket type:	High flexibility with Vario Flex basket
Adjustable upper basket:	Rackmatic 3-stage
Bottom basket type:	mid
3rd Rack:	None
Optional accessories:	SGZ1010, SMZ2014, SMZ5000, SMZ5001
Number of place settings:	12
Color / Material panel:	Stainless steel colour, lacqu.
Color / Material body:	Brushed steel anti-fingerprint
Color / Material top:	Stainless steel colour, lacquered
Dimensions of the product (HxWxD):	845 x 600 x 600 mm
Dimensions of the packed product (HxWxD):	880 x 660 x 680 mm



Series 4, Free-standing dishwasher, 60 cm, Brushed steel anti-fingerprint SMS46GI01P

- Childproof control lock
- Servo-lock

Our ActiveWater 60 with HygienePlus Option: Rinses your dishes at extra high temperatures for top hygienic cleanliness.

Specifications

- Capacity: 12 place settings
- Noise level: 44 dB(A) re 1 pW
- Product dimensions (HxWxD): 84.5 x 60 x 60 cm

Programmes

- 6 programmes: IntensivePlus 70 °C, Normal 65 °C, Auto 45-65 °C, Eco 50 °C, Quick wash 45 °C, Pre-Rinse
- 2 special options: VarioSpeed, HygienePlus
- 4 cleaning temperatures

Features

- ActiveWater hydraulic system
- DosageAssist
- BLDC Motor
- AquaSensor, Load-Sensor
- Detergent Automation
- Alternating spray
- Regenerative electronics
- Self-cleaning filter system with 3-fold corrugated filter
- Interior tub material: Stainless Steel
- Remaining programme time indicator (min)
- Colour of LED: red
- Electronic delay timer: 1-24 hours
- LED Salt Refill Indicator
- LED Rinse Aid Refill Indicator
- AntiFingerprint surface coating
- Glass protection technology

Racks and Baskets


- Variobasket system
- Silver XXL baskets
- Rackmatic height-adjustable top basket (3 stage)
- 6 foldable plate racks in top basket
- 8 FlexTines in bottom basket
- Cutlery rack in top basket
- Variable cutlery basket in bottom basket
- 2 cup shelves in top basket
- Incl. Chopstick insert

Safety

- AquaStop: Bosch warranty in case of water damage – for the lifetime of the appliance.*
- Based on 280 standard cleaning cycles using cold water fill and the consumption of the low power modes.
- The consumption per cleaning cycle of the programme "Eco 50" using cold water fill
- * Please find warranty terms under [<https://www2.bosch-home.com/vn/vi/experience-bosch/3years warranty>]

**Series 4, Free-standing dishwasher,
60 cm, Brushed steel anti-fingerprint
SMS46GI01P**

measurements in mm



⏏ socket
() values with extension kit