

## **Series 8, Built-In Fully Automatic Coffee Machine, Stainless steel CTL636ES1**



9 x assembly screws, 1 x scoop, 1 x test strip, 1 x milk container (insulated), 1 x connection hose for milk frother, 1 x milk pipe

|              |  |   |
|--------------|--|---|
| TCZ7003      | water filter                           | 1 x milk container (insulated), 1 x connection hose for milk frother, 1 x milk pipe                                       |
| TCZ8001A     | 10 Cleaning Tablets for Coffee Machine | Optional accessories: ....TCZ7003, TCZ8001A, TCZ8002A, TCZ8004A, TCZ8009N, Y988081012, Y988081300, Y988081302, Y988081303 |
| TCZ8002A     | 3 Descaling Tablets for Coffee Machine |   |
| TCZ8004A     | Care set Coffee Machine                | Fuse protection: .....  |
| TCZ8009N     | insulated milk container               | 10 A  |
| Y988081012 : |  | Voltage: ..... 220-240 V  |
| Y988081300 : |  | Frequency: ..... 50/60 Hz   |
| Y988081302 : |  | Plug type: ..... Gardy plug w/ earthing   |
| Y988081303 : |  | Product group: ..... Built-in coffee machines   |
|              |  | Product name/family: ..... Built-in coffee machines   |
|              |  | Product name / Commercial code: ..... CTL636ES1   |
|              |  | Typology: ..... Fully automatic   |
|              |  | Length electrical supply cord: ..... 170 cm   |
|              |  | Maximum height for installation: ..... 449 mm   |
|              |  | Dimensions: ..... 455x594x375 mm  |
|              |  | Dimensions of the packed product (HxWxD): ..... 550x480x670 mm  |
|              |  | Net weight: ..... 44.000 lbs  |
|              |  | Net weight: ..... 19.7 kg   |
|              |  | Gross weight: ..... 49.000 lbs  |
|              |  | Gross weight: ..... 22.3 kg   |
|              |  | Capacity water container: ..... 2.4 l   |





**BOSCH**

## **Series 8, Built-In Fully Automatic Coffee Machine, Stainless steel CTL636ES1**

### **The built-in coffee center with OneTouch Function: offers great variety and highest comfort.**

#### **Flavour**

- Innovative heating system SensoFlow System: The innovative heating system guarantees maximum espresso indulgence every time, thanks to its ideal, constant brewing temperature
- One-touch preparation: Ristretto, Espresso, Espresso macchiato, Coffee, Cappuccino, Latte macchiato, Caffé Latte at the touch of a button
- AromaDouble Shot - Extra strong coffee without compromise in aroma: Extra-strong coffee with less bitterness thanks to two grinding and brewing processes
- Beverage temperature adjustable individually: coffee (3 levels), hot water (4 levels)
- optional BRITA Intenza water filter: Improves the coffee's taste and prolongs the appliance's life

#### **Convenience**

- TFT display with interactive menu
- My Coffee: Save 8 favourite beverages with individual names and adjustable mixing ratio of milk and espresso
- Coffee outlet and milk frother height-adjustable: Even 15cm high Latte Macchiato glasses fit underneath
- Cappuccino: Prepare two cups simultaneously for all coffee and milk specialities
- Water tank removable for easy refilling (2.4 l volume)
- Early warning before water tank or bean container empty
- Flexible milk solution: Decide for yourself if you prefer connecting the provided milk container or using any other container, e.g. a milk carton
- Short user manual always at hand inside appliance

#### **Performance**

- High-value ceramic grinding unit SilentCeram Drive: Quiet premium grinder made from non-wearing ceramic
- CoffeeSensor Pro: The grinding unit automatically adjusts to bean variety
- One-touch coffee milk specialities with especially fine-pored milk froth thanks to an innovative milk frother
- Reduced heat-up time: Fastest first cup
- Water pump with 19 bar pressure
- Separate chute for ground coffee, e.g. caffeine-free coffee
- 15.000 cup warranty: Consistently high appliance quality from the first cup to the 15,000th (valid for non-commercial use within 24 months)

#### **Hygiene**

- Removable brewing unit: Easy and hygienic cleaning under running water
- steam blast: Fully-automatic steam cleaning of the milk system after every beverage
- Milk frother removable and dishwasher-proof
- Automatic rinsing program when switching off, and on
- Drip tray and coffee grounds container removable and

dishwasher-proof

- Calc'n'Clean: Automatic cleaning and descaling programme
- Reminds in time of water filter change, descaling, cleaning/descaling



#### **Miscellaneous**

- Containers for water, milk and coffee beans are easily accessible but hidden behind a door, so the kitchen always looks clean
- Bean container with aroma protection lid (500 g volume)
- Illumination for keys and coffee cups
- Grinding fineness adjustable (multi-level)
- Different display languages available
- Child safety lock: Unintended brewing process not possible
- Wattage: 1600 W


#### **Accessories**

- Insulated milk container/Milk container with fresh lock-lid (0.5 l volume)
- Further included accessories: measuring spoon, connection hose for milk frother, test strip for water hardness, assembly screws
- Separately available accessories: cleaning tablets (TZ60001), descaling tablets (TCZ8002), BRITA Intenza water filter (TCZ7003), care set for fully-automatic espresso makers (TCZ8004), insulated milk container (TCZ8009N)

**Series 8, Built-In Fully Automatic  
Coffee Machine, Stainless steel  
CTL636ES1**




Bean and water containers are removed from the front. Recommended installation height 95-145 cm.



Bean and water containers are removed from the front. Recommended installation height 95-145 cm.

**left corner installation**



If using the 92° hinge limiter (spare part no. 00636455), the minimum distance to the wall is only 100 mm.

