

Serie | 6, built-under freezer, 82 x 59.8 cm **GUD15A50**



*

Included accessories 2 x cold accumulator 1 x ice cube tray

- Warning signal with sound or light when the door is not closed or other error happens.
- In case of power failure, the cooler plate is released by the accumulator to release the cool air to keep the tank temperature
- SuperFreezing: Protects frozen food from defrosting.

Technical data

| Technical data | |
|--|------------------------|
| Frost free system : | No |
| Climate class : | SN-ST |
| Door panel options : | Possible but accessory |
| : | 598 |
| : | 548 |
| Dimensions of the packed product (HxWz | xD) (mm) : |
| | 890 x 610 x 670 |
| Warning signal / malfunction : | visual and audible |
| Defrost process : | manual |
| Cover door installation system : | Fixed-mounted |
| Number of drawers/baskets (Stck) : | 3 |
| Number of freezing flaps (Stck) : | 0 |
| Lockable door : | No |
| Thermometer freeze section : | Analog |
| Light : | No |
| Length electrical supply cord (cm) : | 230 |
| : | Right reversible |
| Net weight (kg) : | 35.551 |
| Gross weight (kg) : | 38.5 |
| Multi-Flow Air Tower : | No |
| Number of compressors : | 1 |
| Number of independent cooling systems | : 1 |
| Economy setting : | No |
| Fast freezing switch : | No |
| Door bin adjustability - Freezer : | No |
| Tilt-out door bins in freezer : | No |
| Door bin adjustability - Freezer : | No |
| Reversible Door Hinge : | Yes |
| : | 90 |
| Current (A) : | 10 |
| Frequency (Hz) : | 50 |
| Approval certificates : | CE, VDE |
| : | N/A |
| Door panel options : | Possible but accessory |
| : | 38 |
| Energy Star Qualified : | No |
| Approval certificates : | CE, VDE |
| Plug type : | Gardy plug w/ earthing |
| Required cutout/niche size for installatio | n (in) : x x |
| Dimensions of the packed product (in) : | 35.03 x 26.37 x 24.01 |
| Net weight (lbs) : | 78.000 |
| Gross weight (lbs) : | 85.000 |
| | |





Serie | 6, built-under freezer, 82 x 59.8 cm GUD15A50

Performance and consumption

- Energy Efficiency Class: A+
- Energy consumption: 184 kWh/yr
- Net capacity: 98 |
- Noise level: 38 dB(A) re 1 pW

Design

- Combined to Fridge/Freezer combination

Comfort and Safety

- Flat hinge
- Mechanical control
- 1 compressor/1 cold circuit
- Visual and acoustic warning system in case of malfunction of the freezer compartment
- Super freezing with automatic switch off

Freezer Section

- Net capacity **** freezer: 98 l
- Freezing capacity: 12 kg/24 h
- Storage time in power failure: 23 h
- 3 transparent freezer drawers
- Calendar frozen food

Dimensions

- Dimensions (H x W x D): 82.0 cm x 59.8 cm x 54.8 cm
- Niche Dimension (H x W x D): 82.0 cm x 60.0 cm x 55.0 cm

Technical Information

- Door right hinged, reversible
- Connected load: 90 W
- Nominal voltage: 220 240 V
- Climate Class: SN-ST

Accessories

- cold accumulator, ice cube tray

Country Specific Options


- Gross capacity 114 |
- Gross capacity cooling 0 l
- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.

Environment and Safety

Installation



Serie | 6, built-under freezer, 82 x 59.8 cm GUD15A50



Space for electrical connection next to the appliance on the left or right-hand side. Ventilation space in the base. measurements in mm