

Series 4, free-standing fridge-freezer with freezer at bottom, 203 x 70 cm, Stainless steel (with anti-fingerprint) KGN49XI30U



- **Perfect Fit:** The appliance can be positioned right next to side walls and furniture - flexible installation possible
- **LED Lighting:** keep your groceries in perfect view.
- **VarioZone:** more flexibility due to variable-use glass shelves and drawers in the freezer compartment.
- **EasyAccess Shelf:** retractable glass shelf for convenient loading and unloading and a perfect view.
- **2 Cooling Systems:** separately controllable refrigerator and freezer compartments

Built-in / Free-standing:	Free-standing
Number of compressors:	1
Number of independent cooling systems:	2
Width of the appliance:	700 mm
Height:	2030 mm
Depth of the product:	670 mm
Net weight:	86.4 kg
Door panel options:	Not possible
Door hinge:	Right reversible
Number of Adjustable Shelves in fridge compartment:	4
Shelves for Bottles:	Yes
Frost free system:	Fridge
Interior ventilator:	No
Reversible Door Hinge:	Yes
Length electrical supply cord:	240.0 cm
Noise level:	40 dB(A) re 1 pW
Multi-Flow Air Tower:	Yes
Fast cooling switch:	Yes
Fast freezing switch:	No
Temperature Controlled Drawer:	No
Humidity Control Drawer:	Yes
Number of Door Bins - Refrigerator:	4
Door bin adjustability - Refrigerator:	Yes
Tilt-out door bins in fridge:	Yes
Gallon wide door bins:	Yes
Number of Gallon storage:	1
Motorized Shelf:	No
Material of the shelves:	Safety glass
Door opened indicator freezer:	No
Automatic motor-driven ice-maker:	No
Fuse protection:	10 A
Voltage:	220-240 V
Frequency:	50 Hz
Storage Period in Event of Power Failure (h):	20 h
Door panel options:	Not possible
Noise level:	40 dB(A) re 1 pW
Energy Star Qualified:	No
Plug type:	Gardy plug w/ earthing
Required cutout/niche size for installation (in):	x
Dimensions of the packed product:	82.75 x 29.68 x 29.96
Net weight:	190.000 lbs
Gross weight:	205.000 lbs



Series 4, free-standing fridge-freezer with freezer at bottom, 203 x 70 cm, Stainless steel (with anti-fingerprint) KGN49XI30U

Performance and consumption

- Energy Efficiency Class: A++
- Energy consumption: 303 kWh/yr
- Net capacity: 435 l
- Noise level: 40 dB(A) re 1 pW

Design

- Doors inox EasyClean, side panels Pearl grey (VZF 07127)
- Integrated vertical handle
- LED with Soft Start in fridge section

Comfort and Safety

- NoFrost
- Separate, electronic temperature control, LED indicators
- Supercool function
- Super freezing with automatic switch off
- Optical and acoustic door open warning system

Fridge Section

- Net fridge capacity total: 330 l
- Multi Airflow-System
- AirFreshfilter

Freshness System

Freezer Section

- Net capacity **** freezer: 105 l
- Freezing capacity: 15 kg/24 h
- Storage time in power failure: 20 h

Dimensions

- Dimensions (H x W x D): 203.0 cm x 70.0 cm x 67.0 cm

Technical Information

- Door right hinged, reversible
- Height adjustable front feet, roles in the back
- Climate Class: SN-T
- Nominal voltage: 220 - 240 V

Accessories

- 3 x egg tray, 1 x ice cube tray with lid

Country Specific Options


- Gross capacity 466 l
- Gross capacity cooling 338 l
- Gross capacity**** freezer: 128 l (-18°C and below)
- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.

Environment and Safety

Installation

General Information

Series 4, free-standing fridge-freezer with freezer at bottom, 203 x 70 cm, Stainless steel (with anti-fingerprint) KGN49XI30U



Appliance name	a	b	c	d	e	f	g	h
KGN 46 (Outer handle)	1860	700	670	590	740	1310	710	12
KGN 46 (Inner handle)	1860	700	670	590	710	1310	670	12
KGN 49 (Outer handle)	2030	700	670	590	740	1310	710	12
KGN 49 (Inner handle)	2030	700	670	590	710	1310	670	12

Description	
a	Height
b	Width
c	Depth with door closed, without handle
d	Cabinet depth
e	Width with door opened to 90°
f	Depth with door opened, without handle
g	Depth with door closed, with handle
h	Air gap for installation in recess or fitted cabinet

measurements in mm