

Serie | 6, free-standing fridge-freezer with freezer at bottom, 186 x 75 cm, Inox-easyclean KGN76AI30U



- **XXL size:** provides much more space for your food.
- **Perfect Fit:** The appliance can be positioned right next to side walls and furniture - flexible installation possible
- **LED light:** illuminates the refrigerator evenly without glare, for the life of the appliance.
- **VarioZone:** more flexibility due to variable-use glass shelves and drawers in the freezer compartment.
- **NoFrost:** never defrost again. Thanks to perfect protection from ice formation. Saves time and effort.

Technical data

Number of compressors : 1
 Number of independent cooling systems : 2
 : 750 mm
 : 800 mm
 Net weight : 97.6 kg
 Door panel options : Not possible
 : Right reversible
 Number of Adjustable Shelves in fridge compartment : 2
 Shelves for Bottles : Yes
 Interior ventilator : No
 Reversible Door Hinge : Yes
 Length electrical supply cord : 240 cm
 : 42 dB(A) re 1 pW
 Multi-Flow Air Tower : Yes
 Fast cooling switch : Yes
 Fast freezing switch : No
 Temperature Controlled Drawer : No
 Humidity Control Drawer : Yes
 Number of Door Bins - Refrigerator : 4
 Door bin adjustability - Refrigerator : Yes
 Tilt-out door bins in fridge : Yes
 Gallon wide door bins : Yes
 Number of Gallon storage : 1
 Motorized Shelf : No
 Material of the shelves : Safety glass
 Door opened indicator freezer : No
 Automatic motor-driven ice-maker : No
 : 100 W
 Fuse protection : 10 A
 Voltage : 220-240 V
 Frequency : 50 Hz
 Storage Period in Event of Power Failure (h) : 27 h
 Approval certificates : CE, VDE
 : Inox-easyclean
 Door panel options : Not possible
 : 42 dB(A) re 1 pW
 Energy consumption annual - NEW (2010/30/EC) : 335.00 kWh/annum
 Refrigerator Net capacity - NEW (2010/30/EC) : 406 l
 Freezer Net capacity - NEW (2010/30/EC) : 115 l
 Freezing capacity) - NEW (2010/30/EC) : 18 kg/24h
 Energy Star Qualified : No
 Approval certificates : CE, VDE
 Plug type : GARDY plug w/ earthing
 Required cutout/niche size for installation (in) : x x
 Dimensions of the packed product : 75.59 x 31.88 x 34.84
 Net weight : 215.000 lbs
 Gross weight : 231.000 lbs

Included accessories

- 2 x cold accumulator
- 3 x egg tray
- 2 x ice cube tray with lid
- 1 x bottle holder in door tray



Serie | 6, free-standing fridge-freezer with freezer at bottom, 186 x 75 cm, Inox-easyclean KGN76AI30U

Performance and consumption

- Energy Efficiency Class: A++
- Energy consumption: 335 kWh/yr
- Net capacity: 521 l
- Noise level: 42 dB(A) re 1 pW

Design

- Doors inox EasyClean, side panels Pearl grey (VZF 07127)
- Integrated door handle, white
- LED with Soft Start in fridge section

Comfort and Safety

- NoFrost
- Premium Touchcontrol electronic
- Supercool function
- Super freezing with automatic switch off
- Optical and acoustic door open warning system
- Holiday mode
 - Economy setting
 - Child lock

Fridge Section

- Net fridge capacity total: 406 l
- Multi Airflow-System
- AirFreshfilter
- 6 door bins, there of 2x dairy compartment
- Pull-out tray with Breakfast box

Freshness System

- VitaFresh plus: keeps food fresh for up to twice as long

Freezer Section

- Net capacity **** freezer: 115 l
- Freezing capacity: 18 kg/24 h
- Storage time in power failure: 27 h
- 2 transparent freezer drawers

Dimensions

- Dimensions (H x W x D): 186.0 cm x 75.0 cm x 80.0 cm

Technical Information

- Door right hinged, reversible
- Height adjustable front feet, roles in the back
- Climate Class: SN-T
- Connected load: 100 W
- Nominal voltage: 220 - 240 V

Accessories

- 3 x egg tray, 2 x ice cube tray with lid, 2 x cold accumulator, 1 x bottle holder in door tray

Special Accessories

Country Specific Options

- Gross capacity 578 l
- Gross capacity cooling 422 l
- Gross capacity**** freezer: 156 l (-18°C and below)
- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.

Environment and Safety

Installation

General Information

**Serie | 6, free-standing fridge-freezer with
freezer at bottom, 186 x 75 cm, Inox-
easyclean
KGN76AI30U**

Appliance name	a	b	c	d	e	f	g	h
KGN76 (inner handle)	1860	750	800	720	760	1490	800	12
KGN76 (outer handle)	1860	750	800	720	800	1490	840	12

