


Series 6, Electric hob, 80 cm, surface mount without frame PKN811FP2E



- **DirectSelect:** direct, simple selection of the desired cooking zone, power and additional functions.
- **Power Boost:** up to 20% more energy when cooking on your electric hob.
- **Restart:** restores hob settings in case of an unintentional hob switch-off.
- **Timer with switch-off function:** turns off the assigned cooking zone after the set time.
- **Child Lock:** locks the control panel to prevent unauthorized use.

Product name/family: Cooking zone ceramic
 Built-in / Free-standing: Built-in
 Energy input: Electric
 Total number of positions that can be used at the same time: 4
 Required niche size for installation (HxWxD): 45 x 750-750 x 490-490 mm
 Width of the appliance: 802 mm
 Dimensions: 45x802x522 mm
 Dimensions of the packed product (HxWxD): 100x1025x620 mm
 Net weight: 9.8 kg
 Gross weight: 11.4 kg
 Residual heat indicator: yes
 Location of control panel: Front
 Basic surface material: Ceramic
 Color of surface: Black
 Sealed Burners: No
 Power Boost: Cooking zone front right
 Power of heating element (kW): 2000 W
 Power of 5th heating element (kW): 1200.0 W
 Connection rating: 8300 W
 Voltage: 220-240 V
 Frequency: 50; 60 Hz
 Energy input: Electric
 Plug type: No plug (electrical connection by electrician)
 Appliance Dimensions (h x w x d) (in): x x
 Dimensions of the packed product: 3.93 x 24.40 x 40.35
 Net weight: 22.000 lbs
 Gross weight: 25.000 lbs
 Total number of positions that can be used at the same time: 4
 Required niche size for installation (HxWxD): 45 x 750-750 x 490-490 mm
 Dimensions: 45x802x522 mm
 Dimensions of the packed product (HxWxD): 100x1025x620 mm
 Net weight: 9.8 kg
 Gross weight: 11.4 kg




4 242005 283408

**Series 6, Electric hob, 80 cm, surface
mount without frame
PKN811FP2E**

Series 6, Electric hob, 80 cm, surface mount without frame PKN811FP2E

Measurements in mm



A: Min. distance from the hob cut-out to the wall

B: Recessed depth

C: With fitted oven underneath ≥ 20 mm, possibly more

See space requirements for the oven