

Serie | 2
DWB094W50B
Box common design

D
The wall-mounted chimney hood: mount it on the wall, giving you complete freedom in your kitchen planning.

- **Extraction rate:** at 470 m³/h, it quickly ensures optimal kitchen air quality.
- **Especially quiet:** high performance at just 44 dB.
- **Halogen lighting:** for optimal, energy-efficient illumination of the hob.

Technical data

Color chimney :	Stainless steel
Typology :	Chimney
Approval certificates :	CE, VDE
Length electrical supply cord (cm) :	130
Height of the chimney (mm) :	582-894/582-1004
Height of product, without chimney (mm) :	60
Net weight (kg) :	18.868
Type of control :	mechanical
Number of speed settings :	3
Maximum output air extraction (m ³ /h) :	470
Maximum output recirculating air (m ³ /h) :	330
Number of lights :	2
Noise level (dB(A) re 1 pW) :	58
Diameter of air outlet (mm) :	120 / 150
Grease filter material :	Washable aluminium
Odour filter :	No
Operating Mode :	Convertible
Optional accessories :	DHZ1223, DHZ1233, DHZ5345, DHZ5346, DSZ5201, DSZ6240, DZZ0XX0P0
Type of lamps used :	Halogen
Total power of the lamps (W) :	40
Grease filter type :	Kassette
Connection Rating (W) :	170
Current (A) :	10
Voltage (V) :	220-240
Frequency (Hz) :	60; 50
Plug type :	GB plug
Installation typology :	Wall-mounted
Material body :	Stainless steel
Approval certificates :	CE, VDE
Plug type :	GB plug
Dimensions of the product, with chimney (if exists) (in) :	/ x x
Dimensions of the packed product (in) :	23.03 x 25.59 x 38.18
Net weight (lbs) :	42
Gross weight (lbs) :	54
Motor location :	Integrated motor in hood chimney
No-return airflow flap :	No
Length electrical supply cord (cm) :	130
Dimensions of the product, with chimney (if exists) (mm) :	642-1064 x 900 x 500
Dimensions of the packed product (HxWxD) (mm) :	585 x 650 x 970
Net weight (kg) :	18.868
Gross weight (kg) :	25.0

Optional accessories

- DHZ5345 : Recirculating kit
 DHZ5346 : Active carbon filter



Serie | 2 Hoods

DWB094W50B

Box common design

The wall-mounted chimney hood: mount it on the wall, giving you complete freedom in your kitchen planning.

Design:

- Brushed steel
- 90 cm, Chimney extractor hood

Operating and power:

- 3 speed operation
- Twin channel high performance fan motor
- Additional noise insulation
- Maximum extraction 470 m³/h

Comfort and Safety:

- Chimney extractor hood
- 90 cm wide
- Designed for wall mounted installation
- Suitable for ducted or recirculating operation
- Recirc. kit or clean air kit
- Chimney hood wall fixing syst.
- Switch control for extractor speeds and light
- 2 x high volt halogen spot G9 20W
- Removable metal grease filters, dishwasher safe
- Comfort:

Measures:

Serie | 2 Hoods

DWB094W50B

Box common design

